

BRCP publication Japan side (2001-2016) (112 articles as of 8/10/2016)

2001

Huang ZL, Qu WM, Li WD, Mochizuki T, Eguchi N, Watanabe T, Urade Y, Hayaishi O (2001) Arousal effect of orexin A depends on activation of the histaminergic system. *Proc Natl Acad Sci U S A* 98:9965–9970.

2002

Fetz EE, Perlmutter SI, Prut Y, Seki K (2002a) Functional properties of primate spinal interneurons during voluntary hand movements. *Adv Exp Med Biol* 508:265–271.

Fetz EE, Perlmutter SI, Prut Y, Seki K, Votaw S (2002b) Roles of primate spinal interneurons in preparation and execution of voluntary hand movement. *Brain Res Brain Res Rev* 40:53–65.

Kashiwagi K, Masuko T, Nguyen CD, Kuno T, Tanaka I, Igarashi K, Williams K (2002) Channel blockers acting at N-methyl-D-aspartate receptors: differential effects of mutations in the vestibule and ion channel pore. *Mol Pharmacol* 61:533–545.

Ozaki M (2002) Analysis of patterned neuronal impulses and function of neuregulin. *Neurosignals* 11:191–196.

Ozaki M, Hashikawa T, Ikeda K, Miyakawa Y, Ichikawa T, Ishihara Y, Kumanishi T, Yano R (2002) Degeneration of pontine mossy fibres during cerebellar development in weaver mutant mice. *Eur J Neurosci* 16:565–574.

Sakamaki K, Inoue T, Asano M, Sudo K, Kazama H, Sakagami J, Sakata S, Ozaki M, Nakamura S, Toyokuni S, Osumi N, Iwakura Y, Yonehara S (2002) Ex vivo whole-embryo culture of caspase-8-deficient embryos normalize their aberrant phenotypes in the developing neural tube and heart. *Cell Death Differ* 9:1196–1206.

2003

Huang ZL, Sato Y, Mochizuki T, Okada T, Qu WM, Yamatodani A, Urade Y, Hayaishi O (2003) Prostaglandin E2 activates the histaminergic system via the EP4 receptor to induce wakefulness in rats. *J Neurosci* 23:5975–5983.

Ohnishi H, Kondo Y, Sakuma Y (2003) Oestrogen-induced vigorous mounting in female rats carrying hypothalamic knife cuts. *J Neuroendocr* 15:602–606.

Seki K, Perlmutter SI, Fetzi EE (2003) Sensory input to primate spinal cord is presynaptically inhibited during voluntary movement. *Nat Neurosci* 6:1309–1316.

Williams K, Dattilo M, Sabado TN, Kashiwagi K, Igarashi K (2003) Pharmacology of delta2 glutamate receptors: effects of pentamidine and protons. *J Pharmacol Exp Ther* 305:740–748.

Yamasue H, Kasai K, Iwanami A, Ohtani T, Yamada H, Abe O, Kuroki N, Fukuda R, Tochigi M, Furukawa S, Sadamatsu M, Sasaki T, Aoki S, Ohtomo K, Asukai N, Kato N (2003) Voxel-based analysis of MRI reveals anterior cingulate gray-matter volume reduction in posttraumatic stress disorder due to terrorism. *Proc Natl Acad Sci U S A* 100:9039–9043.

2004

Chu M, Huang ZL, Qu WM, Eguchi N, Yao MH, Urade Y (2004) Extracellular histamine level in the frontal cortex is positively correlated with the amount of wakefulness in rats. *Neurosci Res* 49:417–420.

Ivanov AI, Rovescalli AC, Pozzi P, Yoo S, Mozer B, Li HP, Yu SH, Higashida H, Guo V, Spencer M, Nirenberg M (2004) Genes required for *Drosophila* nervous system development identified by RNA interference. *Proc Natl Acad Sci U S A* 101:16216–16221.

Kashiwagi K, Tanaka I, Tamura M, Sugiyama H, Okawara T, Otsuka M, Sabado TN, Williams K, Igarashi K (2004) Anthraquinone polyamines: novel channel blockers to study N-methyl-D-aspartate receptors. *J Pharmacol Exp Ther* 309:884–893.

Nakahara H, Itoh H, Kawagoe R, Takikawa Y, Hikosaka O (2004) Dopamine neurons can represent context-dependent prediction error. *Neuron* 41:269–280.

Yoshida Y, Kinuta M, Abe T, Liang S, Araki K, Cremona O, Di Paolo G, Moriyama Y, Yasuda T, De Camilli P, Takei K (2004) The stimulatory action of amphiphysin on dynamin function is dependent on lipid bilayer curvature. *Embo J* 23:3483–3491.

2005

Aoki C, Sekino Y, Hanamura K, Fujisawa S, Mahadomrongkul V, Ren Y, Shirao T (2005) Drebrin A is a postsynaptic protein that localizes in vivo to the submembranous surface of dendritic sites forming excitatory synapses. *J Comp Neurol* 483:383–402.

Brown ER, Nishino A, Bone Q, Meinertzhagen IA, Okamura Y (2005) GABAergic synaptic transmission modulates swimming in the ascidian larva. *Eur J Neurosci* 22:2541–2548.

Ikeda K, Ide S, Han W, Hayashida M, Uhl GR, Sora I (2005) How individual sensitivity to opiates can be predicted by gene analyses. *Trends Pharmacol Sci* 26:311–317.

Katsuyama Y, Okada T, Matsumoto J, Ohtsuka Y, Terashima T, Okamura Y (2005) Early specification of ascidian larval motor neurons. *Dev Biol* 278:310–322.

Miyamoto T, Morita K, Takemoto D, Takeuchi K, Kitano Y, Miyakawa T, Nakayama K, Okamura Y, Sasaki H, Miyachi Y, Furuse M, Tsukita S (2005) Tight junctions in Schwann cells of peripheral myelinated axons: a lesson from claudin-19-deficient mice. *J Cell Biol* 169:527–538.

Mizui T, Takahashi H, Sekino Y, Shirao T (2005) Overexpression of drebrin A in immature neurons induces the accumulation of F-actin and PSD-95 into dendritic filopodia, and the formation of large abnormal protrusions. *Mol Cell Neurosci* 30:149–157.

Murata Y, Iwasaki H, Sasaki M, Inaba K, Okamura Y (2005) Phosphoinositide phosphatase activity coupled to an intrinsic voltage sensor. *Nature* 435:1239–1243.

Okamura Y, Nishino A, Murata Y, Nakajo K, Iwasaki H, Ohtsuka Y, Tanaka-Kunishima M, Takahashi N, Hara Y, Yoshida T, Nishida M, Okado H, Watari H, Meinertzhagen IA, Satoh N, Takahashi K, Satou Y, Okada Y, Mori Y (2005) Comprehensive analysis of the ascidian genome reveals novel insights into the molecular evolution of ion channel genes. *Physiol Genomics* 22:269–282.

Sugiyama Y, Kawabata I, Sobue K, Okabe S (2005) Determination of absolute protein numbers in single synapses by a GFP-based calibration technique. *Nat Methods* 2:677–684.

Ueki Y, Mima T, Oga T, Ikeda A, Hitomi T, Fukuyama H, Nagamine T, Shibasaki H (2005) Dominance of ipsilateral corticospinal pathway in congenital mirror movements. *J Neurol Neurosurg Psychiatry* 76:276–279.

2006

Takahashi H, Mizui T, Shirao T (2006) Down-regulation of drebrin A expression suppresses synaptic targeting of NMDA receptors in developing hippocampal neurones. *J Neurochem* 97 Suppl 1:110–115.

Fujisawa S, Shirao T, Aoki C (2006) In vivo, competitive blockade of N-methyl-D-aspartate receptors induces rapid changes in filamentous actin and drebrin A distributions within dendritic spines of adult rat cortex. *Neuroscience* 140:1177–1187.

Han W, Hata H, Imbe H, Liu QR, Takamatsu Y, Koizumi M, Murphy NP, Senba E, Uhl GR, Sora I, Ikeda K (2006a) Increased body weight in mice lacking mu-opioid receptors. *Neuroreport* 17:941–944.

Han W, Kasai S, Hata H, Takahashi T, Takamatsu Y, Yamamoto H, Uhl GR, Sora I, Ikeda K (2006b) Intracisternal A-particle element in the 3' noncoding region of the mu-opioid receptor gene in CXBK mice: a new genetic mechanism underlying differences in opioid sensitivity. *Pharmacogenet Genomics* 16:451–460.

Hikosaka O, Nakamura K, Nakahara H (2006) Basal ganglia orient eyes to reward. *J Neurophysiol* 95:567–584.

- Ide S, Kobayashi H, Ujike H, Ozaki N, Sekine Y, Inada T, Harano M, Komiyama T, Yamada M, Iyo M, Iwata N, Tanaka K, Shen H, Iwahashi K, Itokawa M, Minami M, Satoh M, Ikeda K, Sora I (2006a) Linkage disequilibrium and association with methamphetamine dependence/psychosis of mu-opioid receptor gene polymorphisms. *Pharmacogenomics J* 6:179–188.
- Ide S, Minami M, Ishihara K, Uhl GR, Sora I, Ikeda K (2006b) Mu opioid receptor-dependent and independent components in effects of tramadol. *Neuropharmacology* 51:651–658.
- Isa T, Ohki Y, Seki K, Alstermark B (2006) Properties of propriospinal neurons in the C3-C4 segments mediating disynaptic pyramidal excitation to forelimb motoneurons in the macaque monkey. *J Neurophysiol* 95:3674–3685.
- Kimura Y, Okamura Y, Higashijima S (2006) alx, a zebrafish homolog of Chx10, marks ipsilateral descending excitatory interneurons that participate in the regulation of spinal locomotor circuits. *J Neurosci* 26:5684–5697.
- Kuriu T, Inoue A, Bito H, Sobue K, Okabe S (2006) Differential control of postsynaptic density scaffolds via actin-dependent and -independent mechanisms. *J Neurosci* 26:7693–7706.
- Miura K, Matsuura K, Taki M, Tabata H, Inaba N, Kawano K, Miles FA (2006) The visual motion detectors underlying ocular following responses in monkeys. *Vis Res* 46:869–878.
- Nakahara H, Morita K, Wurtz RH, Optican LM (2006a) Saccade-related spread of activity across superior colliculus may arise from asymmetry of internal connections. *J Neurophysiol* 96:765–774.
- Nakahara H, Nakamura K, Hikosaka O (2006b) Extended LATER model can account for trial-by-trial variability of both pre- and post-processes. *Neural Netw* 19:1027–1046.
- Sasaki M, Takagi M, Okamura Y (2006) A voltage sensor-domain protein is a voltage-gated proton channel. *Science* (80-) 312:589–592.

- Shirahata E, Iwasaki H, Takagi M, Lin C, Bennett V, Okamura Y, Hayasaka K (2006) Ankyrin-G regulates inactivation gating of the neuronal sodium channel, Nav1.6. *J Neurophysiol* 96:1347–1357.
- Takamatsu Y, Yamamoto H, Ogai Y, Hagino Y, Markou A, Ikeda K (2006) Fluoxetine as a potential pharmacotherapy for methamphetamine dependence: studies in mice. *Ann N Y Acad Sci* 1074:295–302.
- Teicher MH, Tomoda A, Andersen SL (2006) Neurobiological consequences of early stress and childhood maltreatment: are results from human and animal studies comparable? *Ann N Y Acad Sci* 1071:313–323.
- Wu HE, Sun HS, Terashvili M, Schwasinger E, Sora I, Hall FS, Uhl GR, Tseng LF (2006) dextro- and levo-morphine attenuate opioid delta and kappa receptor agonist produced analgesia in mu-opioid receptor knockout mice. *Eur J Pharmacol* 531:103–107.
- Yamada H, Shimoyama N, Sora I, Uhl GR, Fukuda Y, Moriya H, Shimoyama M (2006) Morphine can produce analgesia via spinal kappa opioid receptors in the absence of mu opioid receptors. *Brain Res* 1083:61–69.
- Yamashita M, Fukushima S, Shen HW, Hall FS, Uhl GR, Numachi Y, Kobayashi H, Sora I (2006) Norepinephrine transporter blockade can normalize the prepulse inhibition deficits found in dopamine transporter knockout mice. *Neuropsychopharmacology* 31:2132–2139.

2007

- Fukushima S, Shen H, Hata H, Ohara A, Ohmi K, Ikeda K, Numachi Y, Kobayashi H, Hall FS, Uhl GR, Sora I (2007) Methamphetamine-induced locomotor activity and sensitization in dopamine transporter and vesicular monoamine transporter 2 double mutant mice. *Psychopharmacol* 193:55–62.
- Gepshtein S, Kubovy M (2007) The lawful perception of apparent motion. *J Vis* 7:1 - 15.

- Harburg GC, Hall FS, Harrist A V, Sora I, Uhl GR, Eisch AJ (2007) Knockout of the mu opioid receptor enhances the survival of adult-generated hippocampal granule cell neurons. *Neuroscience* 144:77–87.
- Jin L, Sugiyama H, Takigawa M, Katagiri D, Tomitori H, Nishimura K, Kaur N, Phanstiel O, Kitajima M, Takayama H, Okawara T, Williams K, Kashiwagi K, Igarashi K (2007) Comparative studies of anthraquinone- and anthracene-tetraamines as blockers of N-methyl-D-aspartate receptors. *J Pharmacol Exp Ther* 320:47–55.
- Job MO, Tang A, Hall FS, Sora I, Uhl GR, Bergeson SE, Gonzales RA (2007) Mu (mu) opioid receptor regulation of ethanol-induced dopamine response in the ventral striatum: evidence of genotype specific sexual dimorphic epistasis. *Biol Psychiatry* 62:627–634.
- Masuda N, Doiron B (2007) Gamma oscillations of spiking neural populations enhance signal discrimination. *PLoS Comput Biol* 3:e236.
- Numachi Y, Ohara A, Yamashita M, Fukushima S, Kobayashi H, Hata H, Watanabe H, Hall FS, Lesch KP, Murphy DL, Uhl GR, Sora I (2007) Methamphetamine-induced hyperthermia and lethal toxicity: role of the dopamine and serotonin transporters. *Eur J Pharmacol* 572:120–128.
- Ohtsuka Y, Okamura Y (2007) Voltage-dependent calcium influx mediates maturation of myofibril arrangement in ascidian larval muscle. *Dev Biol* 301:361–373.
- Takemura A, Murata Y, Kawano K, Miles FA (2007) Deficits in short-latency tracking eye movements after chemical lesions in monkey cortical areas MT and MST. *J Neurosci* 27:529–541.
- Yamamoto H, Kamegaya E, Hagino Y, Imai K, Fujikawa A, Tamura K, Enokiya T, Yamamoto T, Takeshima T, Koga H, Uhl GR, Ikeda K, Sora I (2007) Genetic deletion of vesicular monoamine transporter-2 (VMAT2) reduces dopamine transporter activity in mesencephalic neurons in primary culture. *Neurochem Int* 51:237–244.

2008

Hill AS, Nishino A, Nakajo K, Zhang G, Fineman JR, Selzer ME, Okamura E.C. Y & *Cooper (2008) Ion channel clustering at the axon initial segment and node of Ranvier evolved sequentially in early chordates. *PLoS Genet* 4:e1000317.

Kojima Y, Iwamoto Y, Robinson FR, Noto CT, Yoshida K (2008) Premotor inhibitory neurons carry signals related to saccade adaptation in the monkey. *J Neurophysiol* 99:220–230.

Nawa NE, Nelson EE, Pine DS, Ernst M (2008) Do you make a difference? Social context in a betting task. *Soc Cogn Affect Neurosci* 3:367–376.

Perona MT, Waters S, Hall FS, Sora I, Lesch KP, Murphy DL, Caron M, Uhl GR (2008) Animal models of depression in dopamine, serotonin, and norepinephrine transporter knockout mice: prominent effects of dopamine transporter deletions. *Behav Pharmacol* 19:566–574.

Uhl GR, Drgon T, Liu QR, Johnson C, Walther D, Komiyama T, Harano M, Sekine Y, Inada T, Ozaki N, Iyo M, Iwata N, Yamada M, Sora I, Chen CK, Liu HC, Ujike H, Lin SK (2008) Genome-wide association for methamphetamine dependence: convergent results from 2 samples. *Arch Gen Psychiatry* 65:345–355.

2009

Gepshtein S (2009) Closing the gap between ideal and real behavior: Scientific vs. engineering approaches to normativity. *Philos Psychol* 22:61–75.

Harada N, Wakatsuki T, Aste N, Yoshimura N, Honda SI (2009) Functional analysis of neurosteroidal oestrogen using gene-disrupted and transgenic mice. *J Neuroendocr* 21:365–369.

Kawai T, Abe H, Wakabayashi K, Oka Y (2009a) Calcium oscillations in the olfactory nonsensory cells of the goldfish, *Carassius auratus*. *Biochim Biophys Acta* 1790:1681–1688.

Kawai T, Oka Y, Eisthen H (2009b) The role of the terminal nerve and GnRH in olfactory system neuromodulation. *Zool Sci* 26:669–680.

Tomoda A, Navalta C, Polcari A, Sadato N, Teicher MH (2009a) Childhood sexual abuse is associated with reduced gray matter volume in visual cortex of young women. *Biol Psychiatry* 66:642–648.

Tomoda A, Suzuki H, Rabi K, Sheu Y, Polcari A, Teicher MH (2009b) Reduced prefrontal cortical gray matter volume in young adults exposed to harsh corporal punishment. *Neuroimage* 30:66–71.

2011

Funabiki K, Ashida G, Konishi M (2011) Computation of interaural time difference in the owl's coincidence detector neurons. *J Neurosci* 31:15245–15256.

Nakajo K, Nishino A, Okamura Y, Kubo Y (2011) KCNQ1 subdomains involved in KCNE modulation revealed by an invertebrate KCNQ1 orthologue. *J Gen Physiol* 138:521–535.

Nishino A, Baba Y, SA& * O (2011) A Mechanism for Graded Motor Control Encoded in the Channel Properties of the Muscle ACh Receptor. *Proc Natl Acad Sci U S A* 108:2599–2604.

Ratzan WJ, Evsikov A V, Okamura Y, *Jaffe LA (2011) Voltage sensitive phosphoinositide phosphatases of *Xenopus*: their tissue distribution and voltage dependence. *J Cell Physiol* 226:2740–2746.

Tomoda A, Sheu Y, Rabi K, Suzuki H, Navalta C, Polcari A, Teicher MH (2011) Exposure to parental verbal abuse is associated with increased gray matter volume in superior temporal gyrus. *Neuroimage* 54:S280–S286.

2012

Ashida G, Funabiki K, Kuokkanen PT, Kempter R, Carr CE (2012) Signal-to-noise ratio in the membrane potential of the owl's auditory coincidence detectors. *J Neurophysiol* 108:2837–2845.

Hayashi Y, Tagawa Y, Yawata S, Nakanishi S, Funabiki K (2012) Spatio-temporal control of neural activity in vivo using fluorescence microendoscopy. *Eur J Neurosci* 36:2722–2732.

Santen GWE, Sun Y, Gijbbers ACJ, Carre A, Holvoet M, Haeringen A v., Lesnik Oberstein SAJ, Tomoda A, Mabe H, Polak M, Devriendt K, Ruivenkamp CAL, Bijlsma EK (2012) Further delineation of the phenotype of chromosome 14q13 deletions: (positional) involvement of FOXP1 appears the main determinant of phenotype severity, with no evidence for a holoprosencephaly locus. *J Med Genet* 49:366–372.

Shi T, Li X, Song J, Zhao N, Sun C, Xia W, Wu L, Tomoda A (2012) EEG characteristics and visual cognitive function of children with attention deficit hyperactivity disorder (ADHD). *Brain Dev* 34:806–811.

Takahata K, Takahashi H, Maeda T, Umeda S, Suhara T, Mimura M KM (2012) It's not my fault: postdictive modulation of intentional binding by monetary gains and losses. *PLoS One* 7:e53421.

Tanaka KF, Matsui K, Sasaki T, Sano H, Sugio S, Fan K, Hen R, Nakai J, Yanagawa Y, Hasuwa H, Okabe M, Deisseroth K, Ikenaka K YA (2012) Expanding the repertoire of optogenetically targeted cells with an enhanced gene expression system. *Cell Rep* 2:397–406.

Tomoda A, Kinoshita S, Korenaga Y, Mabe H (2012) Pseudohypacusis in childhood and adolescents is associated with increased gray matter volume in medial frontal gyrus and superior temporal gyrus. *Cortex* 48:492–503.

Wang J, Zhou X, Wei XW, Sun C, Wu L, Wang J, Tomoda A (2012) Parent-reported health care expenditures associated with autism spectrum disorders in Heilongjiang Province, China. *BMC Health Serv Res* 12:7.

2013

Ashida G, Funabiki K, Carr CE (2013a) Theoretical foundations of the sound analog membrane potential that underlies coincidence detection in the barn owl. *Front Comput Neurosci* 7:151.

Ashida G, Funabiki K, Carr CE (2013b) Biophysical basis of the sound analog membrane potential that underlies coincidence detection in the barn owl. *Front Comput Neurosci* 7:102.

Chib VS, Yun K, Takahashi H SS (2013) Noninvasive remote activation of the ventral midbrain by transcranial direct current stimulation of prefrontal cortex. *Transl Psychiatry* 3:e268.

Tabuchi S, Tsunematsu T, Kilduff TS, Sugio S, Xu M, Tanaka KF, Takahashi S, Tominaga M YA (2013) Influence of inhibitory serotonergic inputs to orexin/hypocretin neurons on the diurnal rhythm of sleep and wakefulness. *Sleep* 36:1391–1404.

Tsunematsu T, Tabuchi S, Tanaka KF, Boyden ES, Tominaga M YA (2013) Long-lasting silencing of orexin/hypocretin neurons using archaerhodopsin induces slow-wave sleep in mice. *Behav Brain Res* 255:64–74.

Yamada M, Uddin LQ, Takahashi H, Kimura Y, Takahata K, Kousa R, Ikoma Y, Eguchi Y, Takano H, Ito H, Higuchi M ST (2013) Superiority illusion arises from resting-state brain networks modulated by dopamine. *Proc Natl Acad Sci U S A* 110:4363–4367.

2014

Beppu K, Sasaki T, Tanaka KF, Yamanaka A, Fukazawa Y, Shigemoto R MK (2014) Optogenetic countering of glial acidosis suppresses glial glutamate release and ischemic brain damage. *Neuron* 81:314–320.

Black SW, Morairty SR, Chen TM, Leung AK, Wisor JP, Yamanaka A KT (2014) GABAB agonism promotes sleep and reduces cataplexy in murine narcolepsy. *J Neurosci* 34:6485–6494.

Tabuchi S, Tsunematsu T, Black SW, Tominaga M, Maruyama M, Takagi K, Minokoshi Y, Sakurai T, Kilduff TS YA (2014) Conditional ablation of orexin/hypocretin neurons: a new mouse model for the study of narcolepsy and orexin system function. *J Neurosci* 34:6495–6509.

Tsunematsu T, Ueno T, Tabuchi S, Inutsuka A, Tanaka KF, Hasuwa H, Kilduff TS, Terao A YA (2014) Optogenetic manipulation of activity and temporally controlled cell-specific ablation reveal a role for MCH neurons in sleep/wake regulation. *J Neurosci* 34:6896–6909.

Tsurumi K, Kawada R, Yokoyama N, Sugihara G, Sawamoto N, Aso T, Fukuyama H, Murai T TH (2014) Insular activation during reward anticipation reflects duration of illness in abstinent pathological gamblers. *Front Psychol* 5.

Ando H, Natsume A, Senga T, Watanabe R, Ito I, Ohno M, Iwami K, Ohka F, Motomura K, Kinjo S, Ito M, Saito K, Morgan R, Wakabayashi T (2014) Peptide-based inhibition of the HOXA9/PBX interaction retards the growth of human meningioma. *Cancer Chemother Pharmacol* 73:53-60.

Kondo Y, Katsushima K, Ohka F, Natsume A, Shinjo K (2014) Epigenetic dysregulation in glioma. *Cancer Sci* 105:363-369.

Momota H, Fujii M, Tatematsu A, Shimoyama Y, Tsujiuchi T, Ohno M, Natsume A, Wakabayashi T (2014) Papillary glioneuronal tumor with a high proliferative component and minigemistocytes in a child. *Neuropathology* 34:484-490.

Motomura K, Fujii M, Maesawa S, Kuramitsu S, Natsume A, Wakabayashi T (2014) Association of dorsal inferior frontooccipital fasciculus fibers in the deep parietal lobe with both reading and writing processes: a brain mapping study. *J Neurosurg* 121:142-148

Nishimura Y, Natsume A, Ginsberg HJ (2014) Spinal dural arteriovenous fistula associated with L-4 isthmic spondylolisthesis. *J Neurosurg Spine* 20:670-674.

Nishimura Y, Ellis MJ, Anderson J, Hara M, Natsume A, Ginsberg, Howard Joseph (2014) Progressively Unstable C2 Spondylolysis Requiring Spinal Fusion: Case Report. *Neurol Med Chir (Tokyo)* 54:761-767

Ohka F, Ito M, Ranjit M, Senga T, Motomura A, Motomura K, Saito K, Kato K, Kato Y, Wakabayashi T, Soga T, Natsume A (2014) Quantitative metabolome analysis profiles activation of glutaminolysis in glioma with IDH1 mutation. *Tumor Biol* 35:5911-5920.

Suzuki A, Nobusawa S, Natsume A, Suzuki H, Kim YH, Yokoo H, Nagaishi M, Ikota H, Nakazawa T, Wakabayashi T, Ohgaki H, Nakazato Y (2014) Olig2 labeling index is correlated with histological and molecular classifications in low-grade diffuse gliomas. *J Neurooncol* 120:283-291.

Tanahashi K, Natsume A, Ohka F, Momota H, Kato A, Motomura K, Watabe N, Muraishi S, Nakahara H, Saito Y, Takeuchi I, Wakabayashi T (2014) Assessment of Tumor Cells in a Mouse Model of Diffuse Infiltrative Glioma by Raman Spectroscopy. *Biomed Res Int* 2014.

Torii K et al. (2014) Effectiveness of plasma treatment on gastric cancer cells. *Gastric Cancer*:635-643.

Tsujiuchi T, Natsume A, Motomura K, Kondo G, Ranjit M, Hachisu R, Sugimura I, Tomita S, Takehara I, Woolley M, Barua NU, Gill SS, Bienemann AS, Yamashita Y, Toyokuni S, Wakabayashi T (2014) Preclinical evaluation of an O(6)-methylguanine-DNA methyltransferase-siRNA/liposome complex administered by convection-enhanced delivery to rat and porcine brains. *Am J Transl Res* 6:169-178.

Umebayashi D, Natsume A, Takeuchi H, Hara M, Nishimura Y, Fukuyama R, Sumiyoshi N, Wakabayashi T (2014) Blockade of gap junction hemichannel protects secondary spinal cord injury from activated microglia-mediated glutamate excitotoxicity. *J Neurotrauma* 31:1967-1974.

Wang L et al. (2014) Novel somatic and germline mutations in intracranial germ cell tumours. *Nature* 511:241-245.

Yamashita Y, Ito Y, Isomura H, Takemura N, Okamoto A, Motomura K, Tsujiuchi T, Natsume A, Wakabayashi T, Toyokuni S, Tsurumi T (2014) Lack of presence of the human cytomegalovirus in human glioblastoma. *Mod Pathol* 27:922-929.

2015

Tanaka Y, Fujino J, Ideno T, Okubo S, Takemura K, Miyata J, Kawada R, Fujimoto S, Kubota M, Sasamoto A, Hirose K, Takeuchi H, Fukuyama H, Murai T, Takahashi H (2015) Are ambiguity aversion and ambiguity intolerance identical? A neuroeconomics investigation. *Front Psychol* 5:1550.

Iwami K, Momota H, Fujii M, Natsume A, Yagi S, Toriyama K, Kamei Y, Wakabayashi T (2015) Anaplastic meningioma with rapid growth after omental flap transposition: a case report and experimental study. *Brain Tumor Pathol* 32:137-144.

Sato N, Maeda M, Sugiyama M, Ito S, Hyodo T, Masuda A, Tsunoda N, Kokuryo T, Hamaguchi M, Nagino M, Senga T (2015) Inhibition of SNW1 association with spliceosomal proteins promotes apoptosis in breast cancer cells. *Cancer Med* 4:268-277.

Sugiyama M, Hasegawa H, Ito S, Sugiyama K, Maeda M, Aoki K, Wakabayashi T, Hamaguchi M, Natsume A, Senga T (2015) Paired related homeobox 1 is associated with the invasive properties of Glioblastoma cells. *Oncol Rep* 33:1123-1130.

Suzuki H et al. (2015) Mutational landscape and clonal architecture in grade II and III gliomas. *Nat Genet* 47:458-468

Mobbs D, Hagan CC, Yu R, Takahashi H, FeldmanHall O, Calder AJ DT. Reflected glory and failure: the role of the medial prefrontal cortex and ventral striatum in self vs other relevance during advice-giving outcomes. *Soc Cogn Affect Neurosci*.