


National Institutes of Natural Sciences

National Institute for Physiological Sciences 2026



INTRODUCTION 1

Outlines of NIPS

- Outlines of the Institute 2
- A Short History of the Institute 3-7
- Organization of the Institute 8
- Advisory Committee for Research and Management 9
- Director General / Vice Director General / Chief Researchers 9
- Emeritus Professors / Deceased Emeritus Professors / Deceased Emeritus Technical Staff 9

Research Departments

- Department of Molecular & Cellular Physiology
 - Division of Biophysics & Neurobiology 10
 - Division of Structural Biology 11
 - Division of Biological Mechanisms of Learning and Memory 12
 - Division of Neural Development & Regeneration 13
- Department of Homeostatic Regulation
 - Division of Cell Structure 14
 - Division of Cardiocirculatory Signaling 15
 - Division of Molecular Neuroimmunology 16
 - Division of Mammalian Embryogenesis 17
 - Division of Ultrastructural Research 18
- Department of Fundamental Neuroscience
 - Division of Visual Information Processing 19
 - Division of Biophotonics 20
 - Division of Multicellular Circuit Dynamics 21
- Department of System Neuroscience
 - Division of Behavioral Development 22
 - Division of Neural Dynamics 23
 - Division of Sensory and Cognitive Brain Mapping 24
 - Division of Multisensory Integration Systems 25

Research Centers

- Center for Research Collaboration 26
 - Section of Collaboration Promotion 27
 - Section of Advanced Research Support 28
 - Section of NBR Project 29
 - Section of Advanced Project Promotion 30
 - Section of J-PEAKS and Regional Alliance Promotion 31
 - Section of International Collaborative Research Project 32
- Supportive Center for Brain Research 33
 - Section of Multiphoton Neuroimaging 34
 - Section of Electron Microscopy 35

- Section of Brain Function Information 36
- Section of Cellular Electrophysiology 37
- Section of Instrumental Design 56
- Center for Genetic Analysis of Behavior 38
 - Section of Viral Vector Development 39
 - Section of Mammalian Transgenesis 40
 - Section of Multilayer Physiology 41
 - Section of Sensory Physiology 42
- Center for Communication Networks 43
 - Section of Research Archives 44
 - Section of Network Management 44
- Section of Health & Safety Management 45
- Research Enhancement Strategy Office 46

Okazaki Research Facilities (NIPS)

- Technical Division 47-48
- Exploratory Research Center on Life and Living Systems 49
- Center for Animal Resources and Collaborative Study 50
- Division of Coordinator for Animal Experimentation 50
- Core for Spin Life Sciences, Okazaki Collaborative Platform 51
- NIPS Research Fellow 52
- Large Facilities and Equipments for Cooperative Studies 53-55
- Facilities Shared by the Two Institutes 56-57
- Joint Researches 58-60
- International Exchanges 61
- NIPS International Symposium 62-63
- The Graduate University for Advanced Studies (SOKENDAI) 64
- Current State 65

- Common Facilities in Okazaki 66-67
- Okazaki Administration Center 68
- Campus Map 69
- Location 70

- Stuff Index 71-73

INTRODUCTION

The National Institute for Physiological Sciences is an inter-university research institute in the field of basic medical sciences dedicated to advancing the understanding of how the human body functions and the mechanisms underlying these functions. The Institute promotes collaborative research with researchers both in Japan and abroad. Through such research, it aims to elucidate the mechanisms that maintain health, to understand disease states arising from their disruption, and to disseminate foundational knowledge for therapeutic development. At present, the Institute focuses particularly on the brain, which is the most highly developed organ in humans.

In addition to its roles in memory, learning, sensation, and motor control at the individual level, the brain also plays a crucial role in social behaviors, including emotional processing and communication through language. Although significant progress has been made, much remains to be uncovered about its full complexity. The brain also works cooperatively with other organs to regulate bodily functions. To achieve a comprehensive understanding of the mechanisms necessary for maintaining health, the Institute promotes research not only on the interactions between the immune system and the brain, which are essential for defense, but also on systems such as mental and cardiovascular regulation and epithelial barrier function.

To support these efforts, the Institute advances world-leading research across a wide range of levels—from molecules and cells to organs and whole organisms—in collaboration with domestic and international researchers. It actively incorporates cutting-edge instrumentation, advanced experimental techniques, artificial intelligence, and computational strategies to achieve an integrative understanding of bodily functions. Furthermore, in collaboration with the Institute for Molecular Science, a leading center in materials and molecular sciences, the Institute has initiated the development of an innovative interdisciplinary field, “spin life science,” that transcends traditional boundaries of medicine and life sciences.

The Institute has three primary missions.

The first mission is to conduct state-of-the-art research spanning from molecules and cells to organs and whole organisms, while integrating these hierarchical levels to achieve a comprehensive understanding of biological functions and their underlying mechanisms. As life sciences research continues to diversify, the Institute aims not only to maintain a high international standard of research but also to pioneer new areas within the life sciences.

The second mission is to serve as a hub for collaborative research as an inter-university research institute, thereby contributing to the advancement of research in Japan. To this end, the Institute promotes international collaboration and provides access to advanced experimental facilities that are difficult for individual universities to maintain. These include cutting-edge imaging systems such as electron and optical microscopes and a 7-tesla ultra-high-field MRI system, as well as the development and distribution of viral vectors for gene delivery and genetically modified mice and rats. In fiscal year 2023, the Institute became the first in Japan to introduce a state-of-the-art high-gradient 3-tesla MRI system. Despite increasingly tight budgets for research infrastructure, an 11.7-tesla MRI for small animals was installed in fiscal year 2024 and completed in 2025. In the same fiscal year, the introduction of a new OPM-MEG system was approved, with installation scheduled for the first half of fiscal year 2026. In addition, renovations of Animal Experiment Facility Building II on the Myodaiji Campus were completed at the end of fiscal year 2025, with operations expected to resume in the summer of 2026. The Institute will continue its efforts to introduce and upgrade research equipment and facilities. At the same time, it maintains and provides essential foundational techniques such as electrophysiological methods. Another important mission is to function as a hub for collaboration and research support among researchers in Japan and abroad. The Institute currently serves as a core institution for the Japan–U.S. Cooperative Program in the field of brain science and for the Advanced Bioimaging Support Platform, and it also participates in the newly launched AMED program, the “Integrated Neurobiology Program.” Furthermore, in fiscal year 2025, the Institute joined the “Program for Forming Japan’s Peak Research Universities (J-PEAKS)” in collaboration with Fujita Health University and Ritsumeikan University.

Following the lifting of activity restrictions due to the COVID-19 pandemic in fiscal year 2023, collaborative research activities—both in-person and online—have steadily recovered, with new modes of collaboration emerging. Moving forward, the Institute will promote the digitalization and smartification of its research environment to enable remote access to its resources, while adapting to the growing impact of AI technologies, thereby establishing more efficient frameworks for collaborative research.

The third mission is the education and training of early-career researchers. As a core institution of the SOKENDAI (The Graduate University for Advanced Studies), the Institute is responsible for the Department of Physiological Sciences and provides a five-year integrated graduate program, including a doctoral course in medical sciences. It also accepts graduate students from universities in Japan and abroad as Special Joint Research Students, and contributes to the training of young researchers through programs such as the Physiological Science Experimental Techniques Training Course, the NIPS Internship Program, and industry-oriented collaborative training courses. In addition, the Institute strengthens collaboration with universities through initiatives such as cross-appointment systems.

The Institute will continue striving to fulfill its role as a leading international center for collaborative research. We sincerely appreciate your continued guidance and support.



MD, PhD, Director General

ISA, Tadashi

1985 Graduated from Faculty of Medicine, the University of Tokyo. 1989 Completed the doctoral course of Graduate School of Medical Science, the University of Tokyo. 1988-1990 Visiting Scientist, University of Göteborg, Sweden. 1989-1993 Assistant Professor, Institute for Brain Research, the University of Tokyo. 1993-1995 Lecturer & Associate Professor, Gunma University School of Medicine. 1996-2015 Professor, the National Institute for Physiological Sciences. 2015 Professor, Kyoto University Graduate School of Medicine. 2022 Dean, Kyoto University Graduate School of Medicine. 2025 Director General, the National Institute for Physiological Sciences.

Outlines of Institute

National Institute for Physiological Sciences (NIPS) is an Inter-university Research Institute for research and education on human physiology. NIPS researchers are investigating human body and brain functions as well as their mechanisms through joint studies with domestic and foreign scientists, and providing specialized techniques and large-scale equipment for shared use as well as education and training for graduate students and young scientists.

Organization

NAOJ, NIFS, NIBB, NIPS and IMS were reorganized into NINS by reason of enforcement of the National University Corporation Law.

The NIPS currently comprises 4 departments, 16 divisions, 4 centers, 20 sections, Research Enhancement Strategy Office and Technical Division.

Joint Research

As an inter-university research institute, NIPS conducts collaborative research based on proposals from domestic and foreign physiological scientists. Applications from domestic and foreign scientists are reviewed and controlled by the Inter-University ad hoc committee.

Graduate Programs

The NIPS carries out two graduate programs.

1. Graduate University for Advanced Studies

The NIPS is in charge of Physiological Sciences Program of Graduate Institute for Advanced Studies, SOKENDAI. The University provides 2 courses, 5-year Doctor Course and 3-year Doctor Course (transfer admission after master's course completion). The degree conferred on graduation is Doctor of Philosophy.

2. Graduate Student Training Program

Graduate students enrolled in other universities and institutes are trained to conduct researches for fixed periods of time under the supervision of NIPS professors and associate professors.

Exchange Programs

To activate international collaborations among physiological scientists in the Institute and foreign organizations, scientist exchange programs are conducted.

System management

Administrative Council, Education and Research Council and Executive Meeting are established at NINS to inspect significant matters of management, education, research and administration.

Advisory Committee for Research and Management in NIPS advises the Director-General on important matters in management of the Institute.

Administration

Administration of the institutes is managed at Okazaki Administration Center of NINS.

A Short History of the Institute

In 1960, many physiologists affiliated with the Physiological Society of Japan initiated a discussion on how to establish a central research institute for physiological sciences in this country.

In recent years, remarkable progress has been made in the life sciences throughout the world, particularly in the fields of molecular biology, cellular biology and physiology, and in areas concerning information processing and regulatory systems of higher animals. In view of these developments, there was a consensus among physiologists in Japan that a new type of research organization must be created, in parallel with the laboratories in universities, to pursue new approaches in the life sciences.

Through discussions among the physiologists, the following characteristics of such a new institute were considered to be of utmost importance.

1. Investigators from different fields should be able to collaborate on research projects in the life sciences with minimal restrictions.
2. Research communication among scientists from many fields should be closely coordinated.
3. Specialized, large-scale equipment required for multidisciplinary research, not routinely available in smaller laboratories of educational institutions, should be accessible, and proper training and maintenance should be provided. A Committee for the Foundation of a Physiological Institute was organized by Drs. MOTOKAWA K., KATSUKI Y., NATORI R., TOKIZANE T., INOUE A., UCHIZONO K., and many other leading physiologists in 1965. Thereafter, in order to establish such an institute, considerable effort was made by scientists and related government officials.

The following time table describes the history leading to the foundation of the Institute:

Nov., 1967

The Science Council of Japan officially advised the then Prime Minister, SATO Eisaku, that the establishment of an institute for Physiological Sciences was important, and urgently necessary for the promotion of life sciences in Japan.

The Science Council of the Monbusho (the Ministry of Education, Science and Culture) reported to the Minister of Education, Science and Culture that two institutes for scientific research of biological sciences, namely, the Institute for Physiological Sciences and the Institute for Basic Biology, should be established as early as possible.

May, 1976

The Preparing Office and the Research Council for the establishment of Institutes for Biological Sciences were opened in the Monbusho.

May, 1977

The Institute for Physiological Sciences (Director-General: Prof. UCHIZONO K.) was officially established which, together with the Institute for Basic Biology, constituted the National Center for Biological Sciences (President: Prof. KATSUKI Y.). Constituents of the Institute for Physiological Sciences at the time of inauguration were as follows.

Department of molecular physiology
Division of Ultrastructure Research

Department of Cell physiology

Division of Membrane Biology

Department of Information physiology

*Division of Neurobiology and Behavioral Genetics

Special Facilities for Physiological Research

Technical Division

Apr., 1978

In the second year the following laboratories were added:

Department of Molecular physiology

*Division of Intracellular Metabolism

Department of Information physiology

Division of Neural Information

Department of Biological Control System

Division of Neural Control

Apr., 1979

In the third year the following laboratories were added:

Department of Cell physiology

Division of Correlative Physiology

*Division of Active Transport

Department of Biological Control System

*Division of Cognitive Neuroscience

Apr., 1980

The following were added in the fourth year:

Department of Information physiology

Division of Humoral Information

*Division of Learning and Memory Research
Research Facilities
Division of Experimental Animals

Apr., 1981

A new organization, Okazaki National Research Institutes, comprised of three independent institutes (Institute for Molecular Science, Institute for Physiological Sciences, and Institute for Basic Biology) was established. Previously, these institutes had been managed independently. However, on 14 Apr. 1981, they were administratively amalgamated into one organization, and thereafter referred to collectively as the Okazaki National Research Institutes.

Apr., 1982

The following was added:

Department of Molecular physiology
Division of Neurochemistry

Apr., 1984

The following was added:

Department of Biological Control System
Division of System Neurophysiology

Apr., 1985

Prof. EBASHI S. was elected the Director-General of the Institute.

Oct., 1988

The Graduate University for Advanced Studies, SOKENDAI was founded and in the Institute the School of Life Sciences, Department of Physiological Sciences was established.

Jun., 1990

The following were added:

Department of Integrative Physiology
Sensory and Motor Function Research Project
Higher Brain Function Project
*Autonomic Function Research Project

Dec., 1991

Prof. HAMA K. was elected the Director-General of the Institute.

Apr., 1997

Prof. SASAKI K. was elected the Director-General of the Institute.

Apr., 1998

The following were added:

Department of Cerebral Research

Division of Cerebral Structure
Division of Cerebral Circuitry
Division of Cerebral Integration

A part of facilities in the complex of Physiological Research Facilities was reformed to the Center for Brain Experiment.

Apr., 2000

Division of Experimental Animals was transferred to the Research Facilities as shown below. Center for Integrative Bioscience

- Department of Strategic Methodology
- Department of Development, Differentiation and Regeneration
- Department of Bio-Environmental Science

Research Center for Computational Science

Center for Experimental Animals

Center for Radioisotope Facilities

Apr., 2003

Prof. MIZUNO N. was elected the Director-General of the Institute.

The following were added:

Department of Developmental Physiology
Division of Behavioral Development
Division of Homeostatic Development
Division of Reproductive/Endocrine Development
Division of Adaptation Development

Apr., 2004

Established National Institutes of Natural Sciences (NINS). National Astronomical Observatory of Japan (NAOJ), National Institute for Fusion Science (NIFS), National Institute for Basic Biology (NIBB), National Institute for Physiological Sciences (NIPS) and Institute for Molecular Science (IMS) were integrated and reorganized into NINS by reason of enforcement of the National University Corporation Law.

In NIPS, Division of Neurochemistry in Department of Molecular Physiology was renamed to Division of Biophysics and Neurobiology, Division of Humoral Information in Department of Information Physiology was renamed to Division of Neural Signaling, Department of Biological Control System was renamed to Department of Integrative Physiology, Division of Cognitive Neuroscience was renamed to Division of Computational Neuroscience, and Center for Integrative Bioscience was renamed to Okazaki Institute for Integrative Bioscience, respectively. The Administration Bureau turned into Okazaki Administration Office of NINS.

Nov., 2005

Division of Neurobiology and Behavioral Genetics was

reformed to the Center for Genetic Analysis of Behavior.

Apr., 2007

Prof. OKADA Y. was elected the Director-General of the Institute.

The following were added:

- Department of Molecular Physiology
- Division of Nano-Structure Physiology
- Department of Cell Physiology
- Division of Cell Signaling
- Department of Information Physiology
- Division of Developmental Neurophysiology

Apr., 2008

Division of Active Transport in Department of Cell Physiology was renamed to Division of Neural Systematics.

The following were abolished:

- Division of Learning and Memory Research
- Center for Brain Experiment

The following were added:

- Center for Multidisciplinary Brain Research
- Supportive Center for Brain Research
- Center for Communication Networks

Apr., 2009

Division of Intracellular Metabolism was abolished.

Apr., 2011

The following was added:

- Section of Health and Safety Management

Apr., 2013

Prof. IMOTO K. was elected the Director-General of the Institute.

Oct., 2013

Research Enhancement Strategy Office was established.

Jan., 2014

The following were added:

- Department of Information Physiology
- Division of Cardiocirculatory Signaling
- Center for Multidisciplinary Brain Research
- Research Strategy for Brain Sciences Office

Apr., 2014

Division of Developmental Neurophysiology in Department of Information Physiology was renamed to Division of Visual Information Processing.

The following were abolished:

- Department of Molecular Physiology
- Division of Nano-Structure Physiology

Department of Cell physiology

Division of Correlative Physiology

Center for Communication Networks

Section of Communications and Public Liaison

Apr., 2016

The following were abolished :

- Department of Molecular Physiology
- Department of Cell Physiology
- Department of Information Physiology
- Department of Integrative Physiology
- Department of Cerebral Research
- Department of Developmental Physiology
- Center for Multidisciplinary Brain Research
- Division of Computational Neuroscience
- Division of Adaptation Development

The following were renamed :

- Division of Cerebral Structure to Division of Cell Structure
- Division of Sensori-Motor Integration to Division of Integrative Physiology
- Division of Homeostatic Development to Division of Homeostatic Development

The following were added :

- Department of Molecular and Cellular Physiology
- Division of Biophysics and Neurobiology
- Division of Neurobiology and Bioinformatics
- Division of Membrane Physiology
- Division of Neural Systematics
- Division of Neural Development and Regeneration
- Department of Homeostatic Regulation
- Division of Cell Structure
- Division of Cell Signaling
- Division of Cardiocirculatory Signaling
- Division of Endocrinology and Metabolism
- Department of Fundamental Neuroscience
- Division of Neural Signaling
- Division of Cerebral Circuitry
- Division of Homeostatic Development
- Division of Visual information processing
- Department of System Neuroscience
- Division of Sensory and Cognitive Information
- Division of Behavioral Development
- Division of System Neurophysiology
- Division of Integrative Physiology
- Division of Cerebral Integration
- Center for Research Collaboration
- Section of Collaboration Promotion
- Section of Advanced Research Support
- Section of Visiting Collaboration Research Project

Section of International Collaborative Research Project

Regarding Supportive Center for Brain Research, Section of Viral Vector Development and Section of Primate Model Development have reorganized to Center for Genetic Analysis of Behavior and Center for Research Collaboration, respectively. Section of Primate Model Development has been renamed to NBR Project.

Section of Evaluation and Collaboration in Center for Communication Networks has also been renamed to Section of Research Archives.

Mar., 2018

The following was abolished :

Okazaki Institute for Integrative Bioscience

Oct., 2018

The following were abolished:

Department of Molecular and Cellular Physiology

Division of Neural Systematics

Department of Fundamental Neuroscience

Division of Cardiocirculatory Signaling

The following was added:

Department of System Neuroscience

Division of Neural Dynamics

Apr., 2019

Prof. NABEKURA J. was elected the Director-General of the Institute.

The following were abolished:

Department of Molecular and Cellular Physiology

Division of Neurobiology and Bioinformatics

Department of System Neuroscience

Division of Sensory and Cognitive Information

The following was added:

Department of Homeostatic Regulation

Division of Ultrastructural Research

Center for Experimental Animals has also been renamed Center for Animal Resources and Collaborative Study

Oct., 2019

The following was abolished:

Department of System Neuroscience

Division of Integrative Physiology

The following was added:

Department of Fundamental Neuroscience

Division of Biophotonics

Apr., 2021

The following was abolished:

Department of Fundamental Neuroscience

Division of Cerebral Circuitry

The following were added:

Department of Molecular & Cellular Physiology

Division of Structural Biology

Supportive Center for Brain Research

Section of Cellular Electrophysiology

Section of Behavioral Patterns and Section of Metabolic Physiology in Center for Genetic Analysis of Behavior were merged and Section of Multilayer Physiology was established.

Sep., 2021

The following were added:

Department of Fundamental Neuroscience

Division of Multicellular Circuit Dynamics

Department of System Neuroscience

Division of Sensory and Cognitive Brain Mapping

Nov., 2021

The following was added:

Department of Homeostatic Regulation

Division of Molecular Neuroimmunology

Oct., 2022

The following was abolished:

Center for Research Collaboration

Section of Visiting Collaborative Research Project

The following was added:

Center for Research Collaboration

Section of Advanced Project Promotion

Apr., 2023

The following were abolished:

Department of System Neuroscience

Division of System Neurophysiology

Division of Cerebral Integration

Apr., 2024

The following was abolished:

Department of Molecular and Cellular Physiology

Division of Membrane Physiology

Department of Homeostatic Regulation

Division of Cell Signaling

Division of Endocrinology and Metabolism

The following were added:

Department of System Neuroscience

Division of Multisensory Integration Systems

Center for Genetic Analysis of Behavior

Section of Sensory Physiology

Jul., 2024

The following were added:

- Okazaki Collaborative Platform in Okazaki Research Facilities
- Okazaki Collaborative Platform in Okazaki Research Facilities
- Core for Spin Life Sciences in Okazaki Collaborative Platform

Nov., 2024

The following was added:

- Open Mix Lab [OML OKAZAKI] in Okazaki Collaborative Platform

Jan., 2025

The following was added:

- Department of Homeostatic Regulation
- Division of Mammalian Embryogenesis

Apr., 2025

Prof. ISA T. was elected the Director-General of the Institute.

The following was abolished:

- Department of Fundamental Neuroscience
- Division of Homeostatic Development

Jul., 2025

The following was added:

- Center for Research Collaboration
- Section of J-PEAKS and Regional Alliance Promotion

Apr., 2026


The following was added:

- Department of Molecular and Cellular Physiology
- Division of Biological Mechanisms of Learning and Memory


Asterisk (*) denotes adjunct divisions.

Organization of the Institute


National Institutes of Natural Sciences



National Institute for Physiological Sciences



Okazaki Research Facilities



Advisory Committee for Research and Management

Chairman ◎, Vice-Chairman ○

Advisory Committee for Research and Management shall advise the Director-General of the Institute, upon his request, on important matters in management of the Institute.

(Outside)			
HANAKAWA, Takashi	Professor, Graduate School of Medicine, Kyoto University		Premium Research Institute for Human Metaverse Medicine (PRIME), Research Promotion Chair, Integrative Physiology
HAYASHI, Yukiko	Chairman of the Board of Regents, Tokyo Medical University	SAWAMOTO, Kazunobu	Director, Institute of Brain Science, Nagoya City University
○KOIZUMI, Schuichi	Professor, Department of Neuropharmacology, Interdisciplinary Graduate School of Medicine University of Yamanashi	TAGAWA, Yoshiaki	Graduate School of Medical Sciences
MINAMIMOTO, Takafumi	Group Leader, Advanced Neuroimaging Center, National Institutes for Quantum Science and Technology	YANAGISAWA, Masashi	Dean, Kagoshima University
MURAMATSU, Rieko	Director, National Institute of Neuroscience, National Center of Neurology and Psychiatry	(Inside)	Graduate School of Medical and Dental Sciences
NISHITANI, Tomoe	Professor, Wakayama Medical University, School of Medicine	FURUSE, Mikio	Professor, International Institute for Integrative Sleep Medicine, University of Tsukuba
OKAMURA, Yasusi	Specially Appointed Researcher (Full Time), The University of Osaka	◎ ISODA, Masaki	Professor, NIPS
		KITAJO, Keiichi	Professor, NIPS
		NEMOTO, Tomomi	Professor, NIPS
		NISHIDA, Motohiro	Professor, NIPS
		NISHIJIMA, Kazutoshi	Professor, NIPS
		TAKEMURA, Hiromasa	Professor, NIPS
		WAKE, Hiroaki	Professor, NIPS
		YOSHIMURA, Yumiko	Professor, NIPS

Director General/Vice Director General/Chief Researcher

Director General	ISA, Tadashi	Chief Researcher /Chairperson for Safety and Research Ethics Problems	MURATA, Kazuyoshi
Vice Director General	KITAJO, Keiichi		
Chief Chairperson	ISODA, Masaki		
Chief Researcher / Chairperson for Cooperative Studies	YOSHIMURA, Yumiko	Chief Researcher / Chairperson for Public Affairs and Information Management	TAKEMURA, Hiromasa
Chief Researcher / Chairperson for Animal Experiment Management	NISHIJIMA, Kazutoshi	Chief Researcher / Chairperson for Educational Problem	FURUSE, Mikio

Emeritus Professors

OOMURA, Yutaka	KAWAGUCHI, Yasuo
WATANABE, Akira	SADATO, Norihiro
KANEKO, Akimichi	NAMBU, Atsushi
MIZUNO, Noboru	TOMINAGA, Makoto
NAGAYAMA, Kuniaki	MINOKOSHI, Yasuhiko
OKADA, Yasunobu	NABEKURA, Junichi
OHMORI, Harunori	KUBO, Yoshihiro
KOMATSU, Hidehiko	OKAMURA, Yasushi
IMOTO, Keiji	SHIGEMOTO, Ryuichi
KAKIGI, Ryusuke	

Deceased Emeritus Professors

IRISAWA, Hiroshi	YANAIHARA, Noboru
UCHIZONO, Koji	WATARI, Hiroshi
EBASHI, Setsuro	SASAKI, Kazuo
KATSUKI, Yasuji	IKENAKA, Kazuhiro
KUNO, Motoy	YAMAGISHI, Shunichi
HAMA, Kiyoshi	OBATA, Kunihiro
TSUKAHARA, Nakaakira	MORI, Shigemi

Deceased Emeritus Technical Staff

OHIRA, Hitoo

Division of Biophysics and Neurobiology

Functioning mechanisms and dynamic structure- function relationship of ion channels, receptors and G proteins

Ion channels, receptors and G proteins play critical roles for the excitability and its regulation of neurons. We focus on these molecules which enable brain function. From the biophysical point of view, we study structure-function relationships, regulation mechanisms and dynamic structural rearrangements of ion channels and receptors. We also study the functional significance of specific features of ion channels and receptors in the brain function by investigating their mutants related to hereditary diseases.

Our experiments start with constructions of mutants, molecular chimeras and fluorescent tagged molecules of ion channels and receptors. We express them in heterologous expression systems, such as *Xenopus* oocytes or HEK293 cells. We then analyze the functional features and dynamic structural rearrangements by electrophysiological method, such as two electrode voltage clamp and patch clamp. We also use optophysiological methods, such as Ca^{2+}_i imaging, cAMP_i imaging and FRET analysis under total internal reflection microscope. We further apply voltage clamp fluorometry using fluorescent unnatural amino acid to detect the functional and structural changes simultaneously.

Major target molecules are Two pore Na^+ channel (TPC), Two pore K^+ channel (K2P), G protein coupled inward rectifier K^+ channel (GIRK), Sigma-1 receptor and various G protein coupled receptors, including Adenosine A1 receptor. We also work, as cooperative research projects, on various species of TRP channels, plant ion channels and Opsin.

One of the characteristic features of our experimental approaches is that we utilize in vitro expression systems such as *Xenopus* oocytes which enable clarification of the observation targets, high through-put recordings and precise biophysical analyses by the two-electrode voltage clamp method. Another is the combination of electrophysiology and opto-physiology to approach the dynamic aspects of the function and structural rearrangements of ion channels, which is beneficial towards the understanding of the functioning images. Taking advantages of these facilities and methodologies, we would like to promote our research as well as cooperative research projects further.

- * Hori S, Tateyama M, Shirai T, Kubo Y, Saitoh O. (2024) Nat Comm 14: 2415.
- * Tsukamoto H, Kubo Y (2023) Proc Natl Acad Sci USA 120, e2301269120.
- * Tateyama M, Kubo Y (2023) PLoS One. 18, e0284962.
- * Shimomura T, Hirazawa K, Kubo Y (2023) Proc Natl Acad Sci USA 120, e2209569120.
- * Chen IS, Eldstrom J, Fedida D, Kubo Y (2022) J Physiol 600: 603-622.




Fig. 1. Analyses of the function and dynamic structural rearrangements of TPC3 channel by simultaneous recordings of electrophysiology and optophysiology under voltage clamp using *Xenopus* oocyte expression systems. (Shimomura T, Hirazawa K, Kubo Y (2023) Proc Natl Acad Sci USA)



TATEYAMA, Michihiro
Associate Professor
Pharmacology
Physiology

SHIMOMURA, Takushi
Senior Assistant Professor
Molecular Physiology
Biophysics

Division of Structural Biology

Material-Life Boundary Research Group, Exploratory Research Center on Life and Living Systems

MURATA, Kazuyoshi

Project Professor
Structural biology
Electron Microscopy

Raymond Burton-Smith

Project Assistant Professor
Biochemistry
Electron microscopy

Structural biology using cryo-electron microscopy

Living organisms are built from a wide variety of biomolecules, including proteins, and their activities are sustained by the chemical reactions these molecules drive. In our research division, we use a technique called cryo-electron microscopy (cryo-EM) to investigate the structures of biomolecules and explore the fundamental question, “What is life?” at the molecular level.

Cryo-electron microscopy is a method in which biological samples are rapidly frozen and observed under an electron microscope while kept at very low temperatures. This approach allows us to analyze biomolecules at high resolution in a state that is close to their natural, living condition.

Our division is equipped with state-of-the-art instruments, including a 300 kV cryo-electron microscope (TITAN Krios G4) for high-resolution data collection, a 200 kV transmission cryo-electron microscope (JEM-2200FS) for sample screening, and a cryo-focused ion beam system (Aquilos 2) for preparing tomography samples. (Fig. 1, right).

The high-resolution images of proteins obtained from these instruments are processed using high-performance computers to reconstruct the three-dimensional structures of biomolecules.

Figure 2 shows the structure of amyloid fibrils determined by single-particle analysis using cryo-EM (Yagi-Utsumi et al., 2025). This result provides new insights into the process of amyloid fibril formation.

We welcome motivated young researchers and graduate students who are interested in structural biology to join our laboratory.

* Yagi-Utsumi et al., ACS Chem Neurosci 16(14), 2682 (2025)
* Honda et al., J Biol Chem 301(12), 110906 (2025)
* Bae et al., J Virol 99(12) e0120625 (2025)
* Inagaki et al., J Cell Biol 225(2), e202503127 (2025)

Fig. 1 300 kV cryo-EM, TITAN Krios G4 (right), 200 kV cryo-EM, JEM2200FS (middle), and cryo-FIB SEM, Aquilos2 (right).




Fig. 2. Structure of Tottori-type amyloid fibrils. Outer shape of amyloid fibrils (left), cross-section of fibrils (center), and orientation of amyloid peptides (right).

Division of Biological Mechanisms of Learning and Memory

Rodent behavior and in vivo neurophysiology

Living organisms, including humans, experience a vast array of sensory information from their environment. By selectively storing significant information as memories, we are able to make behavioral choices that lead to a better future. How is this fundamental and vital function made possible?

At the Division of Biological Learning Mechanisms, we aim to answer this question by recording and manipulating neuronal activity in the brains of behaving animals. Specifically, we train rodents in reinforcement-learning and decision-making tasks while using electrophysiological and optical techniques to monitor and perturb population-level neural activity, as well as neurotransmitters and neuromodulators. Through this research, we seek to identify the brain regions, cell types, and high-dimensional neural activity patterns that underpin our daily lives.

* Massi, Hagihara et al. (2023) Sci. Adv.

* Hagihara et al. (2021) Nature

* Hagihara et al. (2015) Nat. Neurosci.

HAGIHARA, kenta

Professor
Neuroscience
Neurophysiology



Division of Neural Development & Regeneration

SAWAMOTO, Kazunobu

Adjunct Professor
Neuroscience
Development and
Regenerative Biology

Elucidating the Mechanisms and Significance of Neurogenesis in the Postnatal Brain

Elucidation of the intrinsic regenerative mechanisms of the brain and development of manipulation techniques

Not only during embryonic development, but also in limited areas of the brain after birth, neural stem cells are present and continuously produce new neurons. It is becoming clear that this neurogenesis is involved in brain development and homeostasis. It has also become clear that when the brain is injured, cell proliferation in neurogenic regions increases and neurons lost due to brain injury can be regenerated. Our group, in collaboration with other research divisions of National Institute for Physiological Sciences, has elucidated the migration mechanisms of new neurons by serial block surface scanning electron microscopy (SBF-SEM) and two-photon microscopy. In this research division, we aim to elucidate the mechanisms and significance of neurogenesis in the postnatal brain using normal animals and animal models of brain injury, and to use these findings to develop new therapeutic strategies.

* T. Ogino et al., Neuronal migration depends on blood flow in the adult mammalian brain. *eLife* 99502:3 (2025)

* S. Takemura et al., Transformation of radial glia into postnatal neural stem cells depends on birth. *Cell Rep* 2025.116029 (2025)

* K. Kawase et al., Significance of birth in the maintenance of quiescent neural stem cells. *Sci Adv.*, 11(4): eadn6377 (2025)

* M. Matsumoto et al., Neuraminidase inhibition promotes the collective migration of neurons and recovery of brain function. *EMBO Mol Med* 10.1038/s44321-024-00073-7. (2024)

Fig. 1 SBF-SEM reveals the fine structure of new neurons migrating in normal and injured brains (Matsumoto et al., 2024).





Fig. 2 SBF-SEM reveals the structural transformation of the neural stem cell niche induced by birth events (Takemura et al., 2025).



Division of Cell Structure

Molecular basis of cell-cell junctions involved in epithelial barrier function

The Epithelium separates body compartments as a barrier and selectively transports various substances, thereby contributing to organ functions and homeostasis. Our laboratory aims to clarify the molecular bases of specialized cell structures responsible for these basic roles of the epithelium. We focus on cell-cell junctions involved in the regulation of the paracellular transport (occluding junctions), including the tight junction and its related structures, and examine their molecular architectures, functions, and dynamic behavior. One of the characteristic features of our research is that we identify structural or regulatory proteins of occluding junctions and characterize their functions. We take combined approaches of molecular cell biology, physiology, and morphology, including immunoelectron and freeze-fracture replica electron microscopy, by using cultured epithelial cells and model organisms, including mice and fruit flies. The genome editing-mediated systematic loss of function experiments of relevant proteins in cultured epithelial cells is providing various new findings. The following are ongoing projects.

1. Roles of tight junction in epithelial homeostasis.
2. Molecular dissection of tricellular tight junctions and elucidation of their physiological functions.
3. Physiological functions of tight junctions and the related junctional structures in vivo.
4. Roles of septate junctions in intestinal barrier function and regulation of stem cell proliferation in fruit fly.
5. Regulatory mechanisms of epithelial morphogenesis by membrane traffic

* Izumi et al., J Cell Sci 134: jcs257022 (2021)
 * Sugawara et al., J Cell Biol 220: e202005062 (2021)
 * Nguyen et al. J Cell Biol 223: e202307104 (2024)

FURUSE, Mikio

Professor
Cell Biology

IZUMI, Yasushi

Associate Professor
Cell Biology

OHASHI, Masato

Assistant Professor
Molecular Cell Biology
Biochemistry
Developmental Biology




Fig. 1. Molecular architecture and morphology of tricellular tight junctions (tTJs). tTJs are specialized intercellular junctions formed at the point where vertices of three epithelial cells meet. tTJs contain membrane proteins angulin family proteins and tricellulin, and restrict the leakage of solutes through the intercellular space together with claudin-based tight junctions. The bottom shows a tTJ observed by freeze-fracture replica (left) and ultra-thin section (right) electron microscopy.




Fig. 2 Roles of smooth septate junctions in the *Drosophila* midgut.

When the expression of a smooth septate junction-associated membrane protein Ssk is suppressed in the adult *Drosophila* gut, the intestinal barrier function is impaired, leading to the leakage of blue dye from the intestinal lumen to the body cavity with overproliferation of enterocytes.



Division of Cardiocirculatory Signaling

Cardiocirculatory Dynamism Research Group, Exploratory Research Center on Life and Living Systems

NISHIDA, Motohiro
Professor
Cardiovascular Physiology

NISHIMURA, Akiyuki
Project Associate Professor
Biochemistry

Elucidation of biological functions using multilevel techniques to evaluate cardiovascular functions and its clinical application

Our cardiocirculatory function is mainly controlled by muscular organs composed of striated muscles (heart and skeletal muscles) and smooth muscle (blood vessels). Our group aims to elucidate the molecular mechanisms underlying transition of the muscles from adaptation to maladaptation against various stress (hemodynamic load and environmental stress) using multi-level techniques to evaluate cardiovascular functions (in vivo and in vitro), and work toward practical application (e.g., drug discovery and fostering). In particular, we are focusing on mitochondria, energy-producing organs, and investigating the mechanism of muscle repair and regeneration from the viewpoint of mitochondrial quality control. We aim to develop a novel therapeutic strategy for refractory diseases.

Disruption of redox (reduction/oxidation) dynamics is closely related to the onset of various diseases including cardiocirculatory diseases. We are focusing on highly reactive sulfur metabolites (supersulfides) and conducting sulfur redox biology for cardiovascular homeostasis and diseases. In addition, we address the inclusive research to elucidate the mechanism underlying maintenance and transfiguration of cardiocirculatory homeostasis via multi-organ interactions by combining non-invasive measuring methodologies of motor functions and those cardiovascular functions. Our laboratory has various techniques and equipment to drive the above researches.

- * A. Nishimura et al. Nat. Commun. 16. 276 (2025)
- * A. Nishimura et al. Redox Biol. 79, 103445 (2025)
- * L. Zhou et al. J. Pharmacol. Sci. 155. 121-130 (2024)
- * A. Nishimura et al. J. Pharmacol. Sci. 154. 127-135 (2024)
- * X. Tang et al. Mar. Drugs. 21. 52 (2023)
- * S. Oda et al. Nat. Commun. 13. 6374 (2022)




Figure. Measuring systems for cardiovascular functions and summary of our research using these systems

Division of Molecular Neuroimmunology


Discovery of new gateway reflexes

Detailed investigation of reported Gateway Reflexes

Genetic and environmental factors play significant roles in the development of autoimmune diseases. Family-based studies of autoimmune disorders have pinpointed several key genes that contribute to their onset. More recently, genome-wide association studies (GWAS) leveraging next-generation sequencing technologies have identified numerous single nucleotide polymorphisms (SNPs) present in patients with autoimmune diseases, further elucidating the genetic underpinnings of these conditions. In addition, environmental factors such as aging, infections, and stress have been shown to exacerbate the progression of these diseases. Our research has focused on the inflammatory cytokine IL-6 and CD4+ T cells. In 2008, we identified the “IL-6 amplifier”, a molecular mechanism that initiates inflammation. The IL-6 amplifier is a hyperactivation mechanism of the NFκB signaling pathway, induced by the simultaneous activation of both IL-6-STAT3 and NFκB pathways in non-immune cells such as endothelial, fibroblastic, and exocrine cells. We demonstrated that several SNPs are linked to disease development through the IL-6 amplifier by activation of the NFκB pathway. Furthermore, in 2012, we discovered a novel neuro-immune interaction termed the "Gateway Reflex." In this process, specific neural circuits, activated by environmental stimuli, trigger the release of noradrenaline at targeted blood vessels. This, in turn, forms ‘gateways’ that allow blood immune cells to infiltrate tissues through the IL-6 amplifier, facilitating the onset of tissue-specific autoimmune diseases. To date, we have identified six distinct Gateway Reflexes, in which various external stimuli—such as gravity, pain, stress, light, intra-articular inflammation, and artificial neuronal stimulation—induce gateway formation, contributing to the development of tissue-specific inflammatory diseases (see table below). Within the Division of Molecular Neuroimmunology, we have studied these two novel concepts of tissue-specific inflammation in collaboration with the Murakami laboratories at Hokkaido University and the National Institutes for Quantum Science and Technology. Moving forward, our investigation into the Gateway Reflexes will focus on (1) identifying new Gateway Reflexes, (2) conducting a detailed analysis of the associated neural circuits, (3) examining the molecular mechanisms of gateway formation, and (4) investigating the antigen specificity of autoreactive CD4+ T cells during gateway formation.

* H. Ogura *et al.*, Interleukin-17 promotes autoimmunity by triggering a positive-feedback loop via interleukin-6 induction. *Immunity* **29**, 628-636 (2008).
 * Y. Arima *et al.*, Regional neural activation defines a gateway for autoreactive T cells to cross the blood-brain barrier. *Cell* **148**, 447-457 (2012).
 * M. Murakami, D. Kamimura, T. Hirano, Pleiotropy and Specificity: Insights from the Interleukin 6 Family of Cytokines. *Immunity* **50**, 812-831 (2019).
 * R. Hasebe *et al.*, ATP spreads inflammation to other limbs through crosstalk between sensory neurons and interneurons. *The Journal of experimental medicine*
 * T. Yamasaki *et al.*, Zoobiquity experiments show the importance of the local MMP9-plasminogen axis in inflammatory bowel diseases in both dogs and patients. *Int Immunol.* **35**, (2023). 219, (2022).
 * M. Yasuda *et al.*, RNF213–TRAF2 Interaction Enhances NF- κ B Activation in Moyamoya Disease. *Int Immunol.* In press, (2026).

A. Stimulation	B. Immune cells	① Neural Circuits	①' Neuro transmitter	② Gateway Sites	②' Neuro transmitter	③ Neural Circuits	③' Neuro transmitter	④ or ④' pathology	Papers
1 Gravity	MOG-Th17	Sensory (Soleus Mus) -L5 Sympathetic G	Noradrenaline (NA)	L5 dorsal vessels				MS model	Cell (2012)
2 Electric	MOG-Th17	Sensory (quadriceps) -L3 Sympathetic G	NA	L3 dorsal vessels				MS model	Cell (2012)
3 Pain	Monocytes +MOG-Th1/Th17	Sensory-ACC Sympathetic	NA	Spinal cord ventral vessels				Relapse of MS model	eLife (2015)
4 Light	IRBP-Th1/Th17	Optic nerves	NA	Retina vessels				Uveitis model	Ji (2023), Sci Rep (2019)
5 Inflammation	various			Synovial fibroblasts	ATP	Sensory Inter-N Sensory (Antidromic)	ATP	RA model	JEM (2022)
6 Stress	MOG-Th1/Th17	PVN -Sympathetic	NA	Brain vessels	ATP	Nonsymp -DMX/ANP -DMX -Vagus-N	Acetylcholine (AC)	Progressive MS model	eLife (2017)



IL-6 amplifier and Gateway Reflex

MURAKAMI, Masaaki


Professor
Immunology
Neuroimmunology
Experimental pathology
Inflammatology

HASEBE, Rie

Project Associate Professor
Neuropathology
Immunology
Molecular Biology
Microbiology

YAMASAKI, Takeshi

Assistant Professor
Cell Biology
Molecular Biology
Neuropathophysiology
Virology
Integrated Animal Science



Division of Mammalian Embryogenesis

KOBAYASHI, Toshihiro
Professor
Stem Cell Biology
Embryology

NISHIMURA, Toshiya
Associate Professor
Stem Cell Biology
Embryology Veterinary
Science

1. *In vitro* Gametogenesis in Various Mammals

In vitro, the generation of germ cells from pluripotent stem cells (PSCs) can crucially impact future reproductive medicine and animal breeding. A decade ago, *in vitro* gametogenesis was established in the mouse. However, the induction of primordial germ cell-like cells (PGCLCs) to produce fertile gametes had not been achieved in any other species. In addition, we demonstrated some key differences between mouse and human germline specification. In our lab, we aim to develop *in vitro* systems to induce PGCLCs in various mammals including rats and rabbits. Furthermore, by using these systems, we study the conserved or species-specific mechanisms underlying pluripotency transition, germline specification, and subsequent development.

2. *In vivo* Organ Generation via Blastocyst Complementation

The generation of human organs in model animals allows us not only to provide a disease model that reflects human disease and pathology but also to become a source for organ transplantation in future regenerative medicine. As an approach to achieve it, we have developed the “blastocyst complementation” method which can create an organ in an animal by injecting PSCs into preimplantation embryos derived from organ-deficient animals. To demonstrate the proof of principle, we previously demonstrated the successful generation of rat iPSC-derived pancreas in pancreas-deficient mice. Since then, we and others have shown the generation of kidneys, thymus, and germ cells via blastocyst complementation using mouse and rat models. In our lab, we attempt to develop novel culture systems or embryo manipulation techniques applicable for blastocyst complementation.

- * M. Oikawa et al., Stem Cell Rep. 20:102599 (2025).
- * K. Iwatsuki et al., Cell Rep Methods. 3, 100542 (2023).
- * M. Oikawa et al., Science 376, 176 (2022).
- * T. Kobayashi et al., Cell Rep. 37, 109812 (2021).
- * T. Kobayashi et al., Nature 546, 416 (2017).
- * T. Kobayashi et al., Cell 142, 787 (2010).




Fig. Overview of our research. Our lab aims to understand mechanisms underlying the cell fate decisions in early mammalian embryos and to apply their principle for future reproductive and regenerative medicine. In particular, we use pluripotent stem cells and early embryos from various mammals, which will enable us to investigate conserved mechanisms among the mammals and to develop novel technology by the use of species-specific features.

Division of Ultrastructural Research

Ultrastructural analyses with electron microscopic 3D reconstruction

Regulatory mechanisms and roles of mitochondrial dynamics in myelin diseases

Our goal is to understand structural changes in biological phenomena including development, functional maintenance and pathophysiology of the nervous system, and elucidate their molecular mechanisms and roles. We utilize various imaging approaches including 3D ultrastructural analyses with serial block-face scanning electron microscopy (SBEM, SBF-SEM) and animal models, and also engage in development of new technologies and many collaborative projects.

We are interested in intercellular associations of the nervous system. Among them, we would like to clarify the structural and functional changes and their molecular background in myelination and myelin diseases. One of our focuses is on mitochondrial dynamics, which are involved in pathophysiology of various diseases. We are trying to clarify the association of mitochondria and myelin diseases, and develop approaches for their regulation.

- * Soma et al. *Cell*. 188:2687 (2025)
- * Battulga et al. *Glia*. 73:873 (2025)
- * Ohno et al. *Neurosci Res.* 214:48 (2025)
- * Tanaka et al. *Glia*. 69:2488 (2021)
- * Ohno et al. *PNAS*. 111:9953 (2014)

OHNO, Nobuhiko

Adjunct Professor
Anatomy
Neuroscience
Cell biology




Figure 1. Reconstruction of serial electron microscopic images from corpus callosum of control (a) and demyelination model (b) mice, and 3D reconstruction of axonal mitochondria (c). Modified from Ohno et al. *PNAS* (2014).




Figure 2. Colored electron microscopic images (upper row) and 3D reconstruction of nuclei (middle row) and mitochondria (lower row) of monocyte- (red) and microglia-derived (green) macrophages in a mouse spinal cord of a demyelination model. Modified from Katoh et al. *Sci Rep* (2017).



Division of Visual Information Processing

YOSHIMURA, Yumiko
Professor
Neurophysiology

YONEDA, Taisuke
Assistant Professor
Neuroscience

ONODERA, Koun
Assistant Professor
Neuroscience

Analysis of mechanisms underlying information processing and activity-dependent functional developments in the neocortex

Sensory experience during postnatal development is essential for the maturation and refinement of neuronal circuits in the sensory cortex. This process enables the development of cortical functions that are well-suited to the living environment. To elucidate the mechanisms underlying information processing in the sensory cortex and the experience-dependent regulation of this processing, we are studying the relationship between visual functions and the signaling properties of neural circuits, using rat and mouse visual cortex. To this end, we are analyzing the visual responses of cortical neurons using multi-channel electrodes or calcium imaging with two-photon microscopy. Also, we are studying neural circuit properties through a combination of laser scanning photostimulation and whole-cell patch-clamp recording methods in slice preparations, and mapping neural connections morphologically using modern virus tracers. The following is a list of our main ongoing projects:

1. Synaptic plasticity and visual response plasticity in animals at different developmental stages and in animals subjected to manipulations of visual experience during postnatal development.
2. Developmental mechanisms of visual responsiveness, plasticity, and synaptic connections in specific neuron subtypes.
3. Cell-lineage dependent establishment of neuronal connections and visual responsiveness.

We are also conducting collaborative research and seeking graduate students interested in the developmental mechanisms of brain functions.

* Wu J, Yoneda T, Robinson K, Tsuchiya N, Yoshimura Y (2026) Anesthesia Lowers Spatial Frequency Preference in the Primary Visual Cortex. *eLife*. 15:RP110295.

* Yoneda T, Hayashi K, Yoshimura Y (2023) Experience-dependent functional plasticity and visual response selectivity of surviving subplate neurons in the mouse visual cortex. *PNAS*. 120(9):e2217011120.




Figure Analysis of visual response plasticity based on cortical neuron subtypes

(A) Visual responses were recorded from layer 6b of the primary visual cortex of living mice with two-photon imaging, followed by tissue clearing. (B) Layer 6b neurons from in vivo two-photon imaging (left) and the same areas from a cleared brain (right). (C) Most of the recorded L6b neurons expressed CTGF which is a subplate neuron marker. Foxp2 is a marker of cortico-thalamic neurons. (D) An example of a volumetric image of cleared brain.

Division of Biophotonics

Biophotonics Research Group, Exploratory Research Center on Life and Living Systems

Deciphering Physiological Functions via Innovative Optical Bio-imaging

Our department leverages cutting-edge technologies in fields such as laser optics and material chemistry to drive the development of innovative bio-imaging methods and their applications in basic medicine. We lead the global research community in non-invasive imaging and manipulation techniques—specifically focusing on multiphoton excitation and nonlinear optical processes—to achieve broader, higher-resolution, and ultra-high-speed observations within living organisms and tissues. Through the quantitative visualization of physiological functions, our goal is to elucidate the emergent principles and molecular foundations of life processes, ranging from neural circuits and exocytosis to hibernation and circadian rhythms.

A hallmark of our recent achievements is the development of a multiphoton microscope capable of the world's deepest biological tomographic fluorescence imaging, utilizing near-infrared ultrashort pulsed lasers and adaptive optics. We have successfully achieved not only tomographic imaging of the hippocampal dentate gyrus at a depth of approximately 1.6 mm in the living mouse brain but also video-rate observation of CA1 neuronal activity. Furthermore, by utilizing long-term cellular imaging techniques, we are advancing research into the generation and function of 24-hour circadian rhythms in mammals. In addition, we have recently embarked on a new research program focused on the physiological functions and molecular foundations of hibernation, through which we are already gaining novel insights.

In parallel, we are pushing the boundaries of super-resolution microscopy, enabling the imaging of minute structures and molecular dynamics in living cells with a resolution approaching that of electron microscopy. These high-speed 3D imaging technologies are being applied to uncover the emergent principles of local neural circuit functions, the physiological mechanisms of endocrine, exocrine, and plant cells, and the molecular pathways underlying disease onset.

Our department actively fosters collaborative research, bridging diverse disciplines including life sciences, applied physics, material chemistry, basic medicine, and pharmacy. By weaving together the “advancement of imaging technology” and “cellular physiology” as our warp and woof, we aim to create a new interdisciplinary field that captures biological phenomena exactly as they occur in nature. We welcome graduate students and early-career researchers who are passionate about pioneering new frontiers in science.

- * ML. Lee, et al., *Nat. Commun.*, 16, 6278 (2025)
- * K. Otomo, et al., *Nat. Commun.*, 15, 4941 (2024)
- * M. Ataka, et al., *Biomed. Opt. Express*, 15, 1089 (2024)
- * T. Takahashi, et al., *Commun. Biol.*, 7, 232 (2024)




図 (A) 体温は糖代謝を可逆的に制御する (B) 光シート顕微鏡によるマウス全脳蛍光イメージング (C) 電子チューナブルレンズによる高速体積イメージング (D) 新規光学材料を用いた超広範囲観察

Fig. (A) Body temperature reversibly regulates glucose metabolism (B) Whole-brain fluorescence imaging of mouse using novel light-sheet microscopy. (C) High-speed volumetric imaging with an electronically tunable lens. (D) Ultra-widefield observation using novel optical materials.

NEMOTO, Tomomi

Professor
Biophysics
Cell physiology

ENOKI, Ryosuke

Associate Professor
Neurophysiology
Chronobiology
Hibernation Biology

OTOMO, Kohei

Associate Professor
Spectroscopy
Physical Pharmacy

ISHII, Hirokazu

Assistant Professor
Developmental biology
Biophysics

LEE, Ming Liang

Project Assistant Professor
Neurophysiology
Metabolic biology

YAMAGUCHI Kazushi

Project Assistant Professor
Spectroscopy
Neurophysiology



Division of Multicellular Circuit Dynamics

WAKE, Hiroaki

Professor
Neuroscience
Neurophysiology
Neuroanatomy

NARUSHIMA, Madoka

Associate Professor
Neurophysiology
Neuroscience

YAMAGUCHI, Hirohi

Assistant Professor
Molecular Biology
Neuroscience

Analysis of physiological changes in multicellular circuit dynamics responsible for higher brain

1. Aim of Research

The Division Multicellular Circuit Dynamics aims to elucidate the circuitry mechanism of neuron and glia cells in central nervous system. For this purpose, 1. We focus on the glial physiological functions that affect on the neuronal circuits and ultimately on the behavior output. 2. We focus on the functional connectivity of the local multicellular circuits and quantify the connectivity by our developed holographic microscope to modulate the circuits. Please see below for the detail.

(1) Project to reveal physiological functions of glial cells

(a) Microglia : We previously showed that microglia directly contact on synapse to monitor their functions using two photon microscopes (Wake et al., 2009). Our recent research showed that microglia contact on synapse via P2Y12 signaling to modulate their function and thus to regulate the synchronization of neuronal circuits (Akiyoshi et al., 2018, Badimon et al., 2020). In addition, we revealed that microglia migrate on blood vessels with the induction of systemic inflammation and expressed Cldn5 to form a tight junction with endothelial cells to protect their permeability. However, with the progression of inflammation, microglia start to express CD68 to phagocyte astrocyte endfeet and thus increase the BBB permeability (Haruwaka et al., 2019). In addition, somatosensory sensation is enhanced after visual deprivation (cross-modal plasticity), and we found that the neural circuits connecting the somatosensory cortex to the higher visual cortex are important for cross-modal plasticity. We also found that microglia play an important role in the circuit rewiring (Hashimoto et al., 2023). We also revealed the plasticity of microglia in early brain metastasis and highlighted their potential as early therapeutic targets (Tsuji et al., 2026).

(b) Oligodendrocyte : Activity-dependent myelination contributes to synchrony of neuronal activity and motor learning using two-photon microscopy and electrophysiological techniques (Sugio et al., submitted). In addition, the lipid synthesis is essential for activity dependent myelination and their contribution on motor learning (Kato et al., 2023).

(2) Development of holographic microscope

To manipulate neuronal and glial circuits with higher temporal and spatial resolution, we developed holographic microscope. Using this system, we measured the local circuit connectivity by stimulating single cell with simultaneous imaging of neuronal populational activity and studied the connectivity change in pain model (Okada et al., 2021). Combined with data on the plasticity of different senses, we are trying to introduce artificial sensation (Tanisumi et al., in preparation).

* Akiyoshi et al., eNeuro (2018)
* Badimon et al., Nature (2020)
* Kato et al., Glia (2023)
* Haruwaka et al., Nat Commun. (2019)
* Hashimoto et al., Cell Rep. (2023)
* Okada et al., Sci Adv. (2021)
* Wake et al., J Neurosci. (2009)
* Tsuji et al., Cancer Res (2026)




Figure 1 (a) Monocular deprivation induces microglial stripping of inhibitory synapses. This promotes neuronal activation of the secondary visual cortex (V2L) during whisker stimulation. (b) Oligodendrocyte induces synchrony of neuronal activity. Figure 2 Holographic stimulation assess the functional connectivity of local neural circuits.

Division of Behavioral Development

System-level understanding of social cognitive functions

There is increasing attention to social neuroscience, a discipline dedicated to clarifying the neural basis of social cognitive functions. In social neuroscience, studies on human subjects are surely indispensable, as they can tell us about our social mind most directly. Yet research using nonhuman primates is of equal importance for understanding social brain functions at the cellular and network levels. Nonhuman primates are phylogenetically close to humans, they have brain structure and function similar to humans, and they offer unique opportunities to directly record or manipulate neural activity. Our laboratory develops novel, behavioral tasks using two monkeys facing each other and carries out electrophysiological recordings of single-neuron activities and local field potentials across networks of brain regions to achieve a system-level understanding of social cognition, such as decision making on the basis of behavioral information regarding the self and others. We also perform pathway-selective blockade of neural activity using viral vectors to establish a causal relationship between a target neural pathway and a particular social cognitive function. Furthermore, we perform cognitive genomics studies in macaques with mutations in genes associated with human psychiatric and neurodevelopmental disorders, thereby clarifying the genetic basis of social cognitive functions.


- * Noritake A & Isoda M. (2025) Cell Rep 44: 115368
- * Ninomiya T & Isoda M. (2024) PNAS 121: e2403445121
- * Noritake A et al. (2023) Nat Commun 14: 4372
- * Tomatsu S & Isoda M (2023) PNAS 120: e2301614120
- * Ninomiya T et al. (2021) PNAS 118: e2109653118
- * Isoda M (2021) Annu Rev Neurosci 44: 295-313
- * Ninomiya T et al. (2020) Nat Commun 11: 5233
- * Noritake A et al. (2020) PNAS 117: 5516-5524
- * Noritake A et al. (2018) Nat Neurosci 21: 1452-1462
- * Yoshida K et al. (2016) Sci Adv 2: e1600558

ISODA, Masaki
Professor
Neurophysiology

GO, Yasuhiro
Professor
Comparative Genomics
Neurogenomics

NINOMIYA, Taihei
Lecturer
Neuroanatomy
Neurophysiology

KANEKO, Takaaki
Assistant Professor
Neurophysiology
Cognitive Neuroscience



Multi-site, multi-electrode neural recordings for clarifying the neural basis of social cognitive functions



Division of Neural Dynamics

KITAJO, Keiichi

Professor
Computational Neuroscience
Cognitive Neuroscience

OKAZAKI, Yuka

Assistant Professor
Cognitive Neuroscience

YUASA, Kenichi

Assistant Professor
Cognitive Neuroscience
Neuroimaging

TSUCHIMOTO, Shohei

Project Assistant Professor
(Grant Project)
Psychophysiology
Cognitive Neuroscience

FUJIHARA, Ryo

Project Assistant Professor
(Grant Project)
Developmental Brain Science


ZAKERI, Sahar

Project Assistant Professor
(Grant Project)
Biomedical Engineering

Unravelling the functional roles of neural dynamics

The brain can be considered a complex dynamical system, composed of a number of connected nonlinear elements such as neurons and glial cells. Its activity exhibits a wide range of nonlinear dynamics. For instance, depending on the brain state, the human brain exhibits transient oscillations and synchronization at various frequency bands. We investigate the functional roles of nonlinear neural dynamics such as oscillation, synchrony, metastability, and noise-induced phenomena in perception, cognition, motor, and social functions from a computational neuroscience perspective. We measure and analyze scalp electroencephalographic (EEG) signals in humans while participants are engaged in cognitive tasks, at rest, or during noninvasive brain stimulation such as transcranial magnetic stimulation (TMS) and transcranial electrical stimulation (tES). We also analyze electrocorticographic (ECoG), magnetoencephalographic (MEG), and functional magnetic resonance imaging (fMRI) data in humans, as well as imaging and electrophysiological data in distinct modalities in animals. We promote computational studies through data analysis and data-driven mathematical modeling based on nonlinear dynamical systems theory, information theory, signal processing theory, complex network analysis, data assimilation, and statistical machine learning theory. We also collaborate with researchers to analyze clinical data for stroke and epilepsy patients, as well as persons with developmental disabilities. Our goal is to understand clinical symptoms in terms of altered neural dynamics and to explore potential applications for brain-machine interfaces. Moreover, we investigate the relationships between neural dynamics and modulating factors such as autonomic nervous activity and excitation/inhibition balance in neural circuits to understand the functional roles of neural dynamics from an integrative perspective.

- * Okazaki YO, Hattori N, Kawano T, Hatakenaka M, Miyai I, Kitajo K (2025), Asymmetric neural entrainment at resonance frequencies underlies unilateral spatial neglect. *eLife*, 14, RP107993, doi: 10.7554/eLife.107993.1
- * Yokoyama H, Kitajo K (2023) Validation of an electroencephalography data assimilation-based computational approach for estimating cortical excitation-inhibition balance. *Communications Engineering*, 4, 195, doi: 10.1038/s44172-025-00525-z
- * Goto Y, Kitajo K (2024) Selective consistency of recurrent neural networks induced by plasticity as a mechanism of unsupervised perceptual learning. *PLoS Computational Biology* 20(9): e1012378. doi: 10.1371/journal.pcbi.1012378
- * Yokoyama H, Kitajo K (2023) A data assimilation method to track excitation-inhibition balance change using scalp EEG. *Communications Engineering*, 2, 92, doi: 10.1038/s44172-023-00143-7
- * Okazaki YO, Nakagawa Y, Mizuno Y, Hanakawa T, Kitajo K (2021) Frequency- and area-specific phase entrainment of intrinsic cortical oscillations by repetitive transcranial magnetic stimulation. *Frontiers in Human Neuroscience*, 15: 608947
- * Kawano T, Hattori N, Uno Y, Hatakenaka M, Yagura H, Fujimoto H, Nagasako M, Mochizuki H, Kitajo K, Miyai I (2021) Association between aphasia severity and post-stroke brain network alterations assessed using the electroencephalographic phase synchrony index. *Scientific Reports*, 11, 112469, doi: 10.1038/s41598-021-91978-7



To understand the functional roles of neural dynamics in humans, we employ the EEG recording paradigm to measure neural activity. Next, we analyze the EEG data and apply data-driven mathematical modeling techniques to gain insights into the neural dynamics.

Division of Sensory and Cognitive Brain Mapping

Structural and functional brain mapping

The human brain processes sensory information from the environment to support our daily activities. It comprises several distinct structural properties, including cortical layers, subcortical nuclei, and white matter tracts connecting brain areas. However, how our brain functions emerges from these structures is not yet fully understood. In other words, how can the “software” (function) of the brain be established based on “hardware” (structure)? To address this question, we investigate the structure-function relationship in brains.

Specifically, we combine structural and functional neuroimaging methods using the institute's magnetic resonance imaging facilities to understand how brain function relates to brain structure. We also perform psychophysical studies to investigate mechanisms of visual information processing in humans. Through extensive collaborations, our research also extends to the cognitive neuroscience of sensory-motor systems, learning, language, and comparative neuroanatomy.

- * Taguma D et al. (2025) Sci Rep 15, 25812.
- * Luo J et al. (2024) J Vis 24, 12.
- * Takemura H et al. (2024a) Curr Biol 34, 3632-3643.
- * Takemura H et al. (2024b) Magn Reson Med 81, 316-340.
- * Miyata T et al. (2022) J Neurosci 42(35), 6761-6769.

TAKEMURA, Hiromasa

Professor
Neuroimaging
Neuroscience
Vision Science

LUO, Junxiang


Assistant Professor
Neuroscience
Vision Science

OISHI, Hiroki

Assistant Professor
Neuroimaging
Neuroscience



Visual white matter pathways in humans identified by diffusion-weighted MRI (Takemura et al., 2024b).



Division of Multisensory Integration Systems

SASAKI, Ryo

Professor
Cognitive Neuroscience

NONOMURA,
Satoshi

Assistant Professor
Neurophysiology



Neural dynamics of multisensory integration for flexible behaviors

Our goal is to clarify the dynamics of brain networks underlying flexible cognitive behaviors and decision-making using non-human primates. Furthermore, we investigate the biological basis of cognitive diversity through multisensory integration, which is the origin of the mind and intelligence of primates. We conduct multispecies empirical comparative research mainly focusing on approaches using non-human primate model animals that have higher-order brains, which will enable us to clarify the evolutionary background of the dynamics of brain neural circuits that lead to the complexity and multidimensionality of decision-making and behavioral choice in animals including humans. To achieve these goals, we develop various behavioral paradigms with realistic environment utilizing virtual reality (VR) technology, and perform computational analysis based on large-scale neural activity recordings and neural circuit manipulation applying optogenetics. Furthermore, we will clarify the details of the fine three dimensional structures such as synapses by nano-level connectome analysis using electron microscopes to explain the mechanisms of the formation and development of cognitive functions. Through these techniques, we aim to understand the neural dynamics of diverse cognitive behavioral systems from both functional and causal aspects. In particular, we focus on motion systems, spatial navigation systems, balancing system for risk-reward decisions, tracking and avoidance systems, motor control systems, as well as artistic cognition created through flexible integration processing of multisensory inputs and its generating mechanism of impressions and emotions.

* Sasaki R et al. (2024) Science 383(6678):55-61

* Sasaki R et al. (2020) Nat Neurosci 23(8): 1004-1015

* Sasaki & Uka. (2009) Neuron 62(1): 147-157



Outline

KITAJO, Keiichi
Professor
Director

This center named “Center for Collaborative Research” was established in April 2016. It consists of 6 sections of Collaboration Promotion, Advanced Research Support, National Bio-Resource (NBR) Project, Advanced Project Promotion, J-PEAKS and Regional Alliance Promotion and International Collaborative Research Project.

(1) As a mission of the inter- university research institute, NIPS promotes and conducts collaborative researches. The “Collaboration Promotion” section is in charge of facilitation of joint researches utilizing the facilities of NIPS. It responds to inquiries about available research facilities and laboratories suitable to achieve research aims, and also coordinates the joint research. Thus, it serves as a sort of “concierge” of joint research with NIPS. It also calls for requests of facilities and experimental techniques which researchers wish to have in NIPS. NIPS research meetings are typically held at NIPS. However, to promote collaborative research activities, we have also organized these meetings annually at universities outside NIPS since 2016.

(2) NIPS, in cooperation with NIBB, is engaged in “Supporting Platform for Advanced Bio-Imaging” project supported by JSPS KAKENHI (FY2022 to 2027). In this framework, the “Advanced Research Support” section serves to promote support for advanced imaging techniques using optical microscope, electron microscope and fMRI. The 2nd activity of this section is to support “The Next Generation Brain Research” project. It is to organize a symposium of wide-ranged brain science researchers including the ones belonging to MEXT Transformative Research Areas. The 3rd one is to support, as a Subsidiary Research Institution, a new program of “Multidisciplinary Frontier Brain and Neuroscience Discoveries (Brain/MINDS 2.0)” by the Japan Agency for Medical Research and Development (AMED), entitled “Understanding brain functions and disease pathophysiology through the development and application of brain data integration platform” (Principal Research Institution: RIKEN CBS) (FY2023-2029).

(3) NIPS has been serving for the supply of monkeys for brain science experiments, as a part of National Bio-Resource (NBR) Project. “NBR Project” section is in charge of this activity. In FY 2017, the primary responsible role of NBR Project was transferred from NIPS to the Primate Research Center (2022-: Center for the Evolutionary Origins of Human Behavior) in Kyoto University. NIPS will continue to cooperatively contribute to the activity of NBR Project.

(4) “Advanced Project Promotion” section was newly launched in FY2022, by reorganizing the previous “Visiting Collaborative Research Project” section. In this section, the exploration of multidisciplinary cutting-edge research will be promoted.

(5) NIPS established the Section of J-PEAKS and Regional Alliance Promotion within the Center for Research Collaboration on July 1st 2025., to create an organizational framework for promoting the J-PEAKS projects in which it participates as a collaborating institution. Project assistant professors and other personnel are assigned to advance research activities.

(6) The “International Collaborative Research Project” section is a laboratory run by a visiting professor from abroad who stays for a significantly long time in NIPS.

In summary, the “Center for Collaborative Research” plays critical roles in the promotion of various collaborative research activities, including inter-university research, advanced bio-imaging support, supply of monkeys for experiments, and various research collaborations.

▶ Section of Collaboration Promotion	27
▶ Section of Advanced Research Support	28
▶ Section of NBR Project	29
▶ Section of Advanced Project Promotion	30
▶ Section of J-PEAKS and Regional Alliance Promotion	31
▶ Section of International Collaborative Research Project	32

▶ Section of Collaboration Promotion

KITAJO, Keiichi

Professor
Computational Neuroscience
Cognitive Neuroscience

NISHIO, Akiko

Project Assistant Professor
Neurophysiology
Cognitive Neuroscience

National Institute for Physiological Sciences (NIPS) is an inter-university research institute, which organizes some of the latest large experimental equipment and devices that are difficult for other universities or research institutes to purchase, maintain, manage, or operate, such as serial block-face scanning electron microscope (SBF-SEM) , multiphoton excitation microscopes, a 3 Tesla high-gradient magnetic resonance imaging system and a 7 Tesla ultra-high-field magnetic resonance imaging system, and cryo-electron microscope with the aim of providing facilities and technical support for researchers on a nationwide basis. NIPS also actively develops, produces, and provides high quality viral vectors and gene modified animals for researchers in neuroscience and other research field with technical support, as a center for the production of those resources that are difficult for individual research laboratories to create.

Section of Collaboration Promotion has been organized as a consultation counter to help researchers belonging to other universities or research institutes throughout Japan smoothly launch joint research projects in NIPS. Its aim is to support researchers who maintain passive attitudes toward such projects for various reasons, including unestablished research networks or lack of knowledge about methods to embody their ideas as studies. In addition to these, NIPS also offers research techniques and device utilizations to corporate researchers who aim to develop new technologies or products.

One of the most important purposes of us is to promote liaison between researchers in diverse research fields and NIPS. It comprehensively performs activities to support joint research and enhance its recognition, such as setting up exhibition booths to introduce joint research in NIPS at meetings of related academic societies and NIPS research meetings held outside NIPS.

▶ Section of Advanced Research Support

Frontier of Spin Life Sciences (Spin-L)

In FY2023, the Frontier of Spin Life Sciences (Spin-L), one of the "MEXT Promotion of Development of a Joint Usage/ Research System Project: Coalition of Universities for Research Excellence Program (CURE)" was launched. This project aims to establish and advance "Spin Life Sciences", creating a next-generation field that integrates molecular, biological, and physiological sciences. The Advanced Research Support will serve as the administrative office in close collaboration with the Institute for Molecular Science and The Exploratory Research Center on Life and Living Systems (ExCELLS).



SADATO, Norihiro

Project Professor
Functional Neuroimaging
Neuroscience

MARUYAMA, Megumi

Project Associate Professor
Neurophysiology
Environmental Physiology

Multidisciplinary Frontier Brain and Neuroscience Discoveries (Brain/MINDS 2.0)

From FY2023, the National Institute for Physiological Sciences (NIPS) has been adopted as the core organization of the newly launched AMED program, the Multidisciplinary Frontier Brain and Neuroscience Discoveries (Brain/MINDS 2.0). This program will strengthen collaboration between basic and clinical medicine and between academia and industry, and utilize innovative technologies and research results to elucidate brain mechanisms and promote research into breakthrough diagnosis, treatment, and drug discovery seeds for dementia and other neurological disorders. The Advanced Research Support will be responsible for tasks related to international correspondence in brain science research and the construction of a human brain imaging database.



Advanced Bioimaging Support (ABiS)

The Advanced Research Support is operating the administrative office of the Advanced Bioimaging Support (ABiS), which is newly launched in 2022 as a project of FY2022-2027 Grant-in-Aid for Transformative Research Areas — Platforms for Advanced Technologies and Research Resources. ABiS is a framework for supporting cutting-edge imaging techniques (observation of samples and data analysis) using various types of microscopes and MRI, where the National Institute for Physiological Sciences (NIPS) and the National Institute for Basic Biology (NIBB) work as the core organizations. Through the collaborative research that these institutes promote, ABiS is forming a network with domestic partner organizations to provide custom-made support for bioimaging techniques.



JISEDAL-NOU Project

The Advanced Research Support has also operated the administrative office of the JISEDAL-NOU Project since FY2016. This project, which is led by participants in various brain science-related research projects, promotes efforts that support the brain science community, including planning symposia with a focus on cultivating young researchers, disseminating related information via a mailing list, and operating a website.



The promotion of National Bio-Resource Project "Japanese monkey"


The improvement of monkey quality

This laboratory has been organized since 2002 for acceleration of National Bio-Resource Project (NBRP) "Japanese monkey". National Institute for Physiological Sciences (sub-core facility) and Kyoto University (core facility) together keep promoting the project.

NBRP "Japanese monkey" was established as a stable breeding of and supply system for Japanese macaques for laboratory use. We have performed the projects with emphasis on the followings: (1) establishment of the breeding system, (2) provision of monkeys for researchers in Japan, (3) collection of data characteristic of the Japanese macaque, and (4) integrative administration of NBRP "Japanese monkey".

The Japanese macaques have high cognitive abilities and hand dexterity. Therefore, this animal species has been used for research into higher brain functions and various neurological diseases. We have administered this resource project while coordinating with researchers. We have collected data about Japanese macaques for the improvement of monkey quality.

* 中村克樹, 他, ナショナルバイオリソースプロジェクト「ニホンザル」の現状と課題. 霊長類研究 33 巻 (2017)
* T. Isa et al., Japanese Macaques as laboratory Animals. Exp. Anim. 58 (5), 451-457 (2009)



▶ Section of Advanced Project Promotion

The Section of Advanced Project Promotion was established in fiscal year 2022 under the leadership of the Director of the National Institute for Physiological Sciences, based on recommendations from its Advisory Council. Its purpose is to intensively promote the exploration of new research fields and the development of cutting-edge research technologies.

From fiscal year 2026, under the direction of Tadashi Isa, the Office will advance research aimed at elucidating the pathophysiological mechanisms of brain and spinal cord injuries and neurological disorders using primate models, as well as developing therapeutic strategies to promote functional recovery.

ISA, Tadashi

Director General, NIPS
Neurophysiology

KINOSHITA, Masaharu

Project Associate Professor
(Grant Project)
Neurophysiology

KITAJO, Keiichi

Professor
Computational Neuroscience
Cognitive Neuroscience

ISODA, Masaki

Professor
Neurophysiology

WAKE, Hiroaki

Professor
Neuroscience
Neurophysiology
Neuroanatomy

MINATOHARA, Keiichiro

Project Assistant Professor
(Grant Project)
Neuroscience
Neurochemistry
Neuroanatomy

KOKETSU, Daisuke

Project Assistant Professor
(Grant Project)
Neurophysiology

Introduction of the Section of J-PEAKS and Regional Alliance Promotion

A call for proposals for the Program for Forming Japan's Peak Research Universities (J-PEAKS), supported by the Japan Society for the Promotion of Science (JSPS), was issued in FY2024. Two projects in which the National Institute for Physiological Sciences (NIPS) participates as a collaborating institution were selected for funding, with Ritsumeikan University and Fujita Health University serving as the lead institutions. J-PEAKS is a program designed to promote initiatives aimed at addressing societal challenges and expanding the international reach of research through the formation of a group of research universities that will drive the future development of Japan's research capabilities.

In response, NIPS established the Section of J-PEAKS and Regional Alliance Promotion within the Center for Research Collaboration on July 1, 2025, to create an organizational framework for promoting the J-PEAKS projects in which it participates as a collaborating institution. At present, project assistant professors and other personnel assigned to this program are advancing research activities and promoting collaboration within each project.

Within the project led by Ritsumeikan University, titled "Aiming to realize a next-generation research-intensive university that circulates research and social implementation by establishing itself as a world-leading research promotion and human resource development center for Body Sphere research" NIPS is working to elucidate brain-body dynamics in multi-agent, multi-environment settings through integrated measurements of the brain and body using OPM-MEG, as well as through the implementation of multi-site fMRI hyperscanning in collaboration with other institutions.

In addition, within the project led by Fujita Health University, titled "Establish a world-class research center for psychiatric and neurological disorders and establish a one-of-a-kind academic drug discovery ecosystem" NIPS is responsible for analyzing brain function and structure using model mice and non-human primates. Specifically, NIPS is advancing the evaluation of brain pathology in mouse models of psychiatric disorders and the assessment of drug efficacy in non-human primate models using imaging techniques such as two-photon microscopy, holographic microscopy, and high-field MRI, together with electrophysiological methods.

▶ Section of International Collaborative Research Project

Introduction of the Section of International Collaborative Research Project

In FY2014, NIPS established the Section of International Collaborative Research Project. In FY2017, NIPS invited Dr. Denis Le Bihan to join as a Principal Investigator (P.I.) of the section. He is a leading authority on Magnetic Resonance Imaging (MRI) and is well-known as an inventor of the revolutionary imaging method called diffusion-weighted imaging. Dr. Le Bihan was also a founding director of NeuroSpin, which belongs to the Life Science Bureau, a basic research division of France's Commissariat à l'énergie atomique et aux énergies alternatives (CEA). The institute conducts brain research using MRI at a very high level of technological sophistication and is also leading the development of the world's highest-performance MRI instrument, the Human-oriented 11.7 Tesla Device. Dr. Le Bihan served as P.I. of the Section of International Collaborative Research Project in NIPS for 6 years till FY2022, and engaged in research on the development of imaging technology using 7Tesla-MRI and its application to brain science, in collaboration with the Division of Cerebral Integration in NIPS (Professor Norihiro Sadato). Two international projects with Seoul National University (South Korea) and National Health Research Institutes (Taipei) were also performed (Fig. 1).

In FY2024, under an MOU with the University of New South Wales (Sydney, Australia), we invited Dr. Andrew Moorhouse -who transitioned to the University of Sydney in February 2025- as a Visiting Foreign Researcher. He has made outstanding achievements in research on understanding microglia for the brain functions at the circuit level. In collaboration with the Division of Multicellular Circuit Dynamics (Professor Hiroaki Wake), we continued to invite him in 2025 for further joint research. These collaborations make a significant contribution to enhance the international literacy and global engagement of our young researchers.

In FY2026, we will invite two new foreign visiting professors to further strengthen international collaborative research. In addition, by appointing Visiting Professor Ken-ichiro Tsutsui, we will launch new initiatives to promote international collaboration through FAONS (the Federation of Asian-Oceanian Neuroscience Societies) and other frameworks.

TAKEMURA, Hiromasa

Professor
Neuroimaging
Neuroscience
Vision Science

WAKE, Hiroaki

Professor
Neuroscience
Neurophysiology
Neuroanatomy

KITAJO, Keiichi

Professor
Computational Neuroscience
Cognitive Neuroscience

TSUTSUI, Ken-ichiro


Adjunct Professor
Systems Neuroscience
Physiological Psychology

7T ultra high field MRI research of molecular brain imaging (Section of International Collaborative Research Project)

Development of Quantitative Susceptibility Mapping (QSM) for para- and diamagnetic neural substances

Dept. of Eng., Seoul National University

- Separation of paramagnetic (iron) and diamagnetic (phospholipids, calcium) substances in the quantitative susceptibility mapping (QSM) of the brain.




Shin HG, et al. NeuroImage 240:118371, 2021

Development of 7T Diffusion Spectrum Imaging (DSI)

National Health Research Institute, Taiwan

- Development and optimization of Diffusion Spectrum Imaging pulse sequence for 7T MRI
- Model free estimation of water molecular diffusion for structural network/connectivity analysis



Chen et al. ISMRM 2021, #124



Supportive Center for Brain Research

ISODA, Masaki
Professor
Director

Outline

The Center for Brain Experiment was reorganized into the Supportive Center for Brain Research in April 2008 to expand its role of supporting brain science research at the NIPS. The new center was initially comprised of six sections: Sections of Brain Structure Information, Brain Function Information, Multiphoton Neuroimaging, Electron Microscopy, Instrument Design, and Ine Marine Laboratory. In 2010, the Ine Marine Laboratory completed its mission and was closed. In 2012, two sections - the Section of Viral Vector Development and the Section of Primate Model Development - were newly opened. The mission of the former was to develop and distribute viral vectors, and the mission of the latter was to breed and supply Japanese macaques, both to researchers for brain research purposes. In April 2016, the Section of Viral Vector Development was relocated to the Center for Genetic Analysis of Behavior. At the same time, the name of the Section of Primate Model Development was changed to the NBR Project and relocated to the Center for Research Collaboration. In April 2021, the Section of Cellular Electrophysiology was created.

Brain science is one of the hottest research fields worldwide, of course including Japan, and recent progress in this field is amazing and surprisingly rapid. The NIPS is now widely recognized as an important hub for brain science research in Japan, and most NIPS researchers are engaged in some way in the relevant field. The mission of the Supportive Center for Brain Research is not only to support intramural studies at the NIPS, but also to play a role in promoting fruitful collaborations in the neuroscience community both in Japan and abroad through joint researches.

▶ Section of Multiphoton Neuroimaging	34
▶ Section of Electron Microscopy	35
▶ Section of Brain Function Information	36
▶ Section of Cellular Electrophysiology	37
▶ Section of Instrument Design	56

Imaging activation of signaling molecules in living cells by 2-photon fluorescence lifetime imaging microscopy

MURAKOSHI, Hideji
Associate Professor
Biophysics
Neuroscience

Our state-of-the-art two-photon fluorescence lifetime imaging microscopes enable us to image protein activity and protein-protein interactions in living cells, including deep tissues such as brain slices and the brains of living mice. We accept collaborative research using the fluorescence lifetime imaging microscope to image the activity and interactions of various signaling proteins. We also welcome students pursuing Ph.D. degrees, especially those interested in molecular imaging.

In addition to cutting-edge microscopy techniques, we aim to develop novel fluorescent proteins and light-controllable signaling proteins. By far, we succeeded in visualizing signaling protein activity in the dendritic spines of hippocampal neurons using two-photon microscopy, combining photoactivatable probes, new fluorescent proteins, and electrophysiology. These techniques will enable us to reveal the neural network and the underlying molecular mechanisms in a living mouse neuron.

Our mission is to reveal “missing-links” underlying between molecular functions and physiological functions in a living body. We believe that the development & application of optical imaging methods will reveal the biological system at the cellular level.

* Tsujioka et al. Science Advances 2023
* Ueda et al. Cell Reports 2022
* Shibata et al. Nature Communications 2021
* Saneyoshi et al. Neuron 2019
* Murakoshi et al. Neuron 2017
* Hedrick et al. Nature 2016
* Murakoshi et al. Nature 2011




Figure 1. Two-photon excitation is the phenomenon in which two photons of half the energy needed for one-photon excitation can excite a fluorescent molecule. The advantages of 2-photon excitation are 1) Because infrared light is used for excitation, it minimizes excitation-light scattering in the tissue) Because 2-photon excitation happens only at the focal point of an objective lens, the background signal is strongly suppressed. These effects enable us to image cells and subcellular structures in deep tissue with high spatial resolution. Recently, the combination of 2-photon excitation and fluorescence lifetime imaging enabled us to image protein-protein interactions or structural changes in deep tissues, such as brain slices. The fluorescence lifetime is measured by counting the arrival times of signal photons at the detector in response to a laser pulse. After repeating the lifetime measurement at each pixel, a pixel-by-pixel lifetime image is constructed in pseudocolor.

► Section of Electron Microscopy

FURUSE, Mikio
Professor
Cell Biology

MURATA, Kazuyoshi
Project Professor
Structural biology
Electron Microscopy


Support for electron microscopy

Section of Electron Microscopy is a common experimental facility for NIPS and NIBB. Various types of electron microscopes, equipment for sample preparation, and devices necessary for processing digital data acquired by electron microscopy are available in Section Electron Microscopy, enabling a series of work processes of electron microscopy to be carried out. Ultrastructures of tissues, cells and macromolecules are observed using transmission or scanning electron microscopes (JEOL JEM1010, Hitachi HT-7700, Zeiss Σ IGMA). The facility also provides instruments for their specimen preparations, i.e. ultra-microtome (Leica UC7), high-pressure freezing device (BAL-TEC HPM010), freeze fracture and replica machine (BAL-TEC BAF060), vacuum evaporator (JEOL JEE-420), ion coater (JEC-3000FC), etc. Since 2013, Serial block-face scanning electron microscopy (SBF-SEM; Gatan 3view/Zeiss Σ IGMA/VP & MARLIN) and Array tomography SEM system (Zeiss ATLAS5) have been operated to reveal 3D structures of biological thick specimens. The three-dimensional reconstitution of cellular ultrastructures is performed using image analysis software. In particular, the SBF-SEMs are used for many collaborative projects.

Fig. 1 Serial block-face SEM (SBF-SEM) Gatan 3view - Zeiss Σ IGMA/VP



Fig. 2 Transmission electron microscope (TEM) Hitachi HT-7700 equipped with 2k x 2k CCD camera



► Section of Brain Function Information

Development of Measurement Methods Using Magnetic Resonance Technology and Research on Biological Structure-Function Relationships

Magnetic resonance (MR) is an excellent technology that allows us to noninvasively observe the structure, function, metabolism, and molecular dynamics of living systems. At the Section of Brain Function Information, Supportive Center for Brain Research, we conduct a wide range of research, from basic MR studies and protocol development to clinical image analysis. Our section works to develop foundational technologies—such as refining measurement and analysis protocols and validating safety—while also supporting brain and whole-body imaging for humans, non-human primates, and rodents through collaborative programs. By using high-field MRI systems (3 Tesla, 7 Tesla, and 11.7 Tesla for small animals), we seek to understand the structure-function relationships of the nervous system and develop new ways to measure biological parameters. We also work to understand diseases through brain imaging by identifying endophenotypes and biomarkers of psychiatric disorders using large-scale data from multi-center clinical collaborations. In addition to developing mathematical and statistical methods to process these data, we are also committed to fostering researchers who can master high-field MRI for their scientific inquiries.

- * Yamamoto T, Miura K, Matsuda K et al. Brain-wide activation and deactivation maps during smooth and saccadic tracking in humans Cerebral Cortex 35, bhaf242 (2025)
- * Schijven D, Postema MC, Fukunaga M et al. Large-scale analysis of structural brain asymmetries in schizophrenia via the ENIGMA consortium. Proc Natl Acad Sci U S A. 120, e2213880120 (2023)
- * Goda N, Hasegawa T, Koketsu D et al., Cerebro-cerebellar interactions in nonhuman primates examined by optogenetic functional magnetic resonance imaging. Cereb Cortex Commun 3, tgac022 (2022)
- * Maruyama S, Fukunaga M, Sugawara SK et al., Cognitive control affects motor learning through local variations in GABA within the primary motor cortex. Sci Rep 11, 18566 (2021)
- * Yamamoto T, Fukunaga M, Sugawara SK et al., Quantitative Evaluations of Geometrical Distortion Corrections in Cortical Surface-Based Analysis of High-Resolution Functional MRI Data at 7T. J Magn Reson Imaging. 53, 1220 (2021)

FUKUNAGA, Masaki

Project Professor
Magnetic Resonance
Neuroimaging
Neuroscience

INUJI, Koji

Adjunct Professor
Neurophysiology
Psychiatry

TAKADO, Yuhei

Adjunct Professor
Pathophysiological
Neuroscience
Brain Energy Metabolism
Imaging

HAYASHI, Takuya

Adjunct Professor
Neuroimaging
Neuroscience
Neuroanatomy and
neurophysiology
Neurology

YAMAJI, Kazutsuna

Adjunct Professor
Information Science

KOIKE, Takahiko

Associate Professor
Social Neuroscience
Neuroscience

YAMAMOTO, Tetuya

Associate Professor
Neuroimaging
Visual Neuroscience
Visual Psychology

GODA, Naokazu


Assistant Professor
Neuroscience
Neuroimaging
Psychophysics

UEMATSU, Akiko

Project Assistant Professor
(Grant Project)
Neuroscience
Psychology

HARADA, Tokiko

Project Assistant Professor
(Grant Project)
Cognitive Neuroscience
Neuroimaging



MR systems operated by the National Institute for Physiological Sciences (7-tesla ultra-high field MRI: Siemens Magnetom 7T, 3-tesla high-performance gradient MRI: Siemens Magnetom CimaX, 11.7-tesla preclinical MRI: Bruker Biospec 117/16). Functional (FC) and structural (SC) brain connectivity mapping by functional MRI (fMRI) and diffusion MRI (dMRI). Layer-fMRI for cortical laminar resolution obtained by 7T MRI. MR microscopy using 11.7 T MRI

YOSHIMURA, Yumiko
Professor
Neurophysiology

SATAKE, Shin'ichiro
Assistant Professor
Neurophysiology

OTSUKA, Takeshi
Assistant Professor
Neuroscience

Advancing Research Collaboration by Supporting Electrophysiological Studies

Electrophysiological techniques are useful for studying the functional properties of cells, tissues, and organs (such as the brain and heart) with high temporal resolution. This section aims to elucidate the principles of synaptic transmission, its regulation, the functional architecture of neural circuits, and their dynamic control mechanisms, primarily through electrophysiological approaches. In addition, we provide consultation and technical support for electrophysiological experiments, promote collaborative and commissioned research, and contribute broadly to the understanding of biological phenomena. Ongoing projects are listed below.

1) Neuronal information processing at the tripartite synapse

Based on the concept of the tripartite (three-part) synapse—comprising presynaptic and postsynaptic neurons and surrounding glial processes—we investigate molecular and cellular mechanisms of neuronal processing, focusing on neurotransmitter transporters. In collaborative projects, we analyze genetically engineered animal models to elucidate disease mechanisms and develop potential therapies for neurological disorders such as rapid-onset dystonia with parkinsonism (RDP), familial hemiplegic migraine (FHM), and bipolar disorder. In addition to fundamental techniques like electrophysiology, histology, and pharmacology, we employ advanced approaches, including light-activated compounds.

2) Regulation of neural network activity for motor learning

Neurons form complex networks between them and send information to multiple brain areas. We are investigating how neural network activity related motor learning is regulated in the cortex and the basal ganglia system (Fig. 1). We approach these questions using electrophysiology, computer simulation, and behavior analysis. We also analyze how neurotransmitters including dopamine regulate intrinsic membrane properties of cells and reward related behaviors as a research collaboration.

- * S. Satake, *Commun. Biol.* 9, in press (2026).
- * S. Satake, S. Yokota, K. Ikeda, *J. Neurophysiol.* 134, 216-228 (2025).
- * T. Otsuka, Y. Kawaguchi, *Commun. Biol.* 4, 495 (2021).
- * T. Otsuka, Y. Kawaguchi, *J. Neurophysiol.* 110, 795-806 (2013).




Fig. 1. (A) Network activity evoked by optogenetic stimulation. ChR2-Venus was selectively expressed in cortical L2/3 pyramidal cells. During light stimulation, membrane potential oscillation was induced in L5 pyramidal cell. (B) Reconstruction of cortical FS interneurons. Electrically connected FS cells, confirmed by negative current injection to one of two cells, were simultaneously recorded. ● indicates electrical connection site.

Outline

NISHIJIMA, Kazutoshi
Professor
Director

Center for Genetic Analysis of Behavior produces gene-modified rat/mouse using genome editing technologies. The center also provides virus vectors for cell type specific gene modification. The center has facilities to monitor behavior and neuronal activity in those gene-modified rat/mouse. The center is also equipped with systems to monitor the behavioral and neural activity of *Drosophila* at the individual level. Patch-clamp systems for ion channel analysis are also available. These facilities are open for the collaborative use from researchers of all over the world. This center consists of the following 4 sections.

- Section of Viral Vector Development
- Section of Mammalian Transgenesis
- Section of Multilayer Physiology
- Section of Sensory Physiology

▶ Section of Viral Vector Development	39
▶ Section of Mammalian Transgenesis	40
▶ Section of Multilayer Physiology	41
▶ Section of Sensory Physiology	42

► Section of Viral Vector Development

KOBAYASHI, Kenta
Associate Professor
Molecular Neurobiology

Collaboration by providing viral vectors

Functional analysis of specific neural pathways by using viral vectors

Development of the viral vector system useful for analysis of brain functions

A viral vector, which is available to various animal models, is an excellent genetic tool, and at present, it becomes one of most important experimental technologies to analyze brain functions. We set up a system to produce a large amount of high quality viral vectors, AAV and lentiviral vectors. In response to requests, we provide these viral vectors and promote the collaboration.

Brain functions are controlled by complex neural circuits. To understand brain functions, it is necessary to clarify the function of specific neural pathways forming complex circuits. We have succeeded in developing the novel gene transfer system, a dual viral vector system using highly efficient retrograde gene transfer viral vectors, enabling the functional analysis of specific neural pathways (Fig. 1). By using this system, we analyze the function of specific neural pathways forming the cortico-basal ganglia loop. In addition, we have succeeded in developing a novel retrograde gene transfer system based on the AAV vector.

- * K. Kobayashi et al., Methods. Mol. Biol. 2974, 15 (2026)
- * T. Matsuda et al., Cell. Rep. 43, 113619 (2024)
- * Y. Koshimizu et al., Gene. Ther. 28, 339 (2021)
- * H. Sano et al., J. Neurosci. Methods. 345, 108887 (2020)
- * K. Kobayashi et al., J. Neural. Transm. (Vienna). 125, 67 (2018)




Figure 1. Gene transfer into specific neural pathways using viral vectors. Conditional gene expression in specific neural pathways becomes possible by using a dual viral vector system combining retrograde gene transfer (RGT) viral vectors and AAV vectors. These useful viral vectors are available to collaborators.

► Section of Mammalian Transgenesis

Development of Advanced Reproductive / Transgenic Technologies in Laboratory Animals

Genetically modified animals such as transgenic and knockout animals are essential tools for current life science research. In particular, recent progress on gene editing technologies including CRISPR/Cas9 system has enabled us to generate desired such animals more efficiently and rapidly. Our facility, Section of Mammalian Transgenesis, routinely generates a variety of genetically modified mice and rats according to requests from internal and external laboratories. In addition, we have developed novel reproductive and developmental technologies using early rodent embryos and stem cells. One of our current projects is an application of our techniques to regenerative medicine. Recently, as collaborative research, we have established “blastocyst complementation” method which can create a specific organ from pluripotent stem cells (PSCs) in organ-deficient animals. In addition, we have successfully induced functional germ cells from rat PSCs *in vitro*, leading to the birth of healthy offspring. Through developing new technologies and generating model animals in various mammalian species, we aim to understand the underlying mechanisms on stem cell self-renewal/differentiation, early embryo development and organogenesis, which would contribute to future regenerative medicine and reproductive medicine as well as life science research.

- * M. Oikawa et al., Methods Mol Biol. 2770 (2024).
- * K. Iwatsuki et al., Cell Rep Methods. 3, 100542 (2023).
- * M. Oikawa et al., Science 376, 176 (2022).
- * M. Oikawa et al., Mol Reprod Dev. 89, 129 (2022).
- * T. Kobayashi et al., Cell Rep. 37, 109812 (2021).
- * T. Kobayashi et al., Nat Commun. 12, 1328 (2021).

KOBAYASHI, Toshihiro

Professor
Stem Cell Biology
Embryology




Fig. Generation of genetically modified animals. Under the microscope, early embryos and pluripotent stem cells are manually manipulated to generate transgenic animals, chimeras, and knock-in/-out animals.

► Section of Multilayer Physiology

NISHIJIMA, Kazutoshi
Professor
Laboratory Animal Science
Reproductive Technology
Metabolism

CHIKEN, Satomi
Assistant Professor
Neurophysiology
Neurobiology

In vivo analysis of neuronal activity and behavioral pattern in rodents

In this research section, we conduct *in vivo* measurements of neuronal activity and behavioral analysis of genetically modified rodents and disease models. Our aim is to elucidate the roles of genes and molecules in neuronal activity and behavior, as well as the pathophysiological mechanism of neurological disorders. Our research includes the followings:

- Neuronal activity measurement: Extracellular single unit recordings in the motor system under awake conditions (Figure 1).
- Behavioral analysis related to learning and memory, and emotion: Morris water maze, Barnes maze, Fear conditioning, Passive avoidance, Rota-rod, Open field, Elevated plus maze, Light-dark transition, Forced swimming, Y maze, 3-chamber social interaction, etc. (Figure 2).
- Remote monitoring and behavioral analysis: Analysis using a fully automated system measuring group behavior, memory and learning (IntelliCage).

* Polyakova et al. J Neurosci 44: e1911222024 (2024)
* Hasegawa et al. Nat Commun 13: 2233 (2022)
* Chiken et al. Cereb Cortex 31: 5363-5380 (2021)
* Dwi Wahyu I et al. J Neurosci 41: 2668-2683 (2021)
* Watanabe et al. Nat Commun 11: 3253 (2020)




Figure 1. "Dynamic activity model" of movement disorders. Alteration of neuronal activity of the output nuclei of the basal ganglia (GPI/SNr) in response to electrical stimulation of the motor cortex could explain the pathophysiology of their motor symptoms.




Figure 2. We perform a number of behavioral analyses in mice to explore physiological functions of specific genes and molecules.

Elucidation of the Molecular Basis and Physiological Significance of Sensory Function, and the Development of Novel Pest Control Strategies

Our laboratory investigates the molecular mechanisms and physiological importance of sensory functions, which are crucial for biological adaptation and survival. We focus particularly on the functional relationship between membrane proteins like TRP channels and surrounding membrane lipids, studying how these components work cooperatively in sensory functions. Our research employs diverse tools ranging from behavioral analyses using *Drosophila* genetics to neuronal imaging and electrophysiological studies using receptor-expressing cultured cells.

We also study how oxidative stress affects membrane lipids and receptor function in aging and neurodegenerative conditions, using both *Drosophila* and mammalian cells to understand and develop treatments for sensory dysfunction. Additionally, we're developing next-generation pest control strategies by exploring novel repellents and insecticides targeting insect receptors and neural functions.

Our laboratory thus combines fundamental research into sensory processes with applied research addressing medical and agricultural challenges. We are also actively pursuing collaborative research and graduate education opportunities to facilitate these studies.

- * X. Deng et al., Commun. Biol. 8, 765 (2025)
- * K. Ohnishi et al., Bioessay, e202400233 (2024)
- * K. Ohnishi et al., Nat. Commun. 15, 1660 (2024)
- * S. Sato et al., Front. Mol. Neurosci. 16, 1249715 (2023)
- * T. Sokabe et al., Sci. Signal. 15, eabl6179 (2022)




Figure 1: Sensory Mechanism Integrating Membrane Receptors and Lipids. The structure and function of sensory receptors in the cell membrane are maintained by surrounding lipids. Our laboratory has discovered that lipid metabolites and membrane lipids regulate receptor activity and expression through signal transduction and propagation of physicochemical properties of membranes. However, the functions of various membrane lipids remain largely unexplored.




Figure 2: Development of Pest Control Strategies Targeting Insect Receptors. We are exploring and developing new compounds targeting TRP channels and neural ion channels, which play crucial roles in nociception and physiological regulation. These compounds are being investigated for their potential as repellents, insecticides, and disruptors of physiological functions. We are also analyzing receptor-modifying substances that can enhance the effectiveness of these compounds.

SOKABE, Takaaki
Associate Professor
Cellular and Molecular
Biology
Sensory Physiology

SATO, Shoma
Project Assistant
Professor
Neurogenetics
behavioral genetics

Center for Communication Networks

TAKEMURA, Hiromasa
Professor
Director

Outline

The Center for Communication Networks is responsible for disseminating information from the NIPS to society, maintaining the network, and managing information security at the NIPS. It is comprised of three distinct sections: (1) The Section of Research Archives, which is responsible for carrying out a variety of evaluation activities within the institute and overseeing the document exhibition room, (2) The Section of Physiology and Medicine Education, which is dedicated to promoting education and enlightenment on human physiology, and (3) The Section of Network Management, which oversees the provision and maintenance of various information network services, including email and web-based services, in addition to managing computer resources.

- ▶ Section of Research Archives 44
- ▶ Section of Network Management 44

▶ Section of Research Archives

The Institute established the Inspection and Collaboration Archives Office in April 2007 to systematically collect and compile foundational data related to its collaborative research activities from the time of its founding to the present. The Institute had already been conducting annual inspections and evaluations since fiscal year 1993, and following its incorporation in 2004, these evaluation activities included the preparation of annual plans and operational reports.

As part of an organizational restructuring carried out in fiscal year 2016, the Inspection and Collaboration Archives Office was renamed the section of Research Archives, with its primary role shifting to the collection and preservation of various institutional records and data.

With the generous assistance and support of the late Professor Emeritus Shunichi Yamagishi (who passed away in February 2022), materials related to the founding of the Institute have been digitized and preserved in the Archives Office. The Office also holds oral history materials documenting interviews with Professor Yamagishi.

In fiscal year 2022, on the occasion of the 100th Annual Meeting of the Physiological Society of Japan, an introduction to the history of the Institute was presented, for which archival materials were provided. The Section of Research Archives will continue to fulfill its role in ensuring that the history of physiological sciences is accurately preserved and passed on to future generations.

▶ Section of Network Management

Computer services and network supports are now indispensable for research activity. In this section, we manage the “Computer System for Data Analysis in Physiology”, which is a software sharing system for Numeric Computation, data analysis, visualization and statistics. In addition, we support high-speed and reliable network for intra-/internet services such as E-mail communication, Web services, and peripheral devices for in-house information network. Technological developments for the best use of these facilities are also underway (Fig. 1) .

Ensuring information security is also an important part of our work. We have revised our information security policy in line with our research and are making efforts to maintain the security level by raising awareness among users. In addition, we also cooperate with CSIRT to prevent security incidents, take countermeasures, monitor them, and respond to them when and after they occur.



Fig.1. Computer System for Data Analysis in Physiology & Network Servers

Outline

Since its incorporation in 2004, the National Institute for Physiological Sciences has been continuous efforts to ensure the safety and health of its staff, particularly with regards to the workplace environment. Over the year, several issues requiring prompt responses have arisen, including the designation of formaldehyde and propylene oxide as Class II specified chemical substances, the classification of ketamine as a narcotic, and the increased use of laser equipment. These developments have necessitated timely and appropriate implementation of special health examinations. In addition, the prevention of accidents and health disorders remains a critical priority. To address these challenges, the Office of Safety and Health Management was established in 2011 under the direct supervision of the Director General. The office is responsible for the following activities:

1. Measures to prevent occupational accidents and health disorder among staff
2. Education and training on safety and health
3. Maintenance and promotion of health, including medical examinations
4. Investigation of workplace accidents and prevention of recurrence

Regular monthly meetings of the office are held to report inspection results and discuss important matters, thereby promoting effective safety management.

Furthermore, since FY2025, the number of staff in the Office of Safety and Health Management has been increased, and monthly specialized meetings have been introduced to enhance information sharing. These efforts have strengthened autonomous chemical management based on risk assessment and have promoted compliance with relevant laws and regulation.

.

Research Enhancement Strategy Office

Research Enhancement Promotion Project

National Institutes of Natural Sciences (NINS) has been selected as one of 20 Universities and 3 Inter-University Research Institutes in the Program for Promoting the Enhancements of Research Universities funded by Monbukagakusho (MEXT), which started from September 2013. Research Enhancement Promotion Headquarters and Research Enhancement Strategy Office of this program have been settled at NINS and each of the five Research Institutes, including NIPS.

From 2026, at NIPS, Research Enhancement Strategy Office (manager: vice-director general of NIPS) has been composed of by 8 units, 1) Research Surveillance and Analysis, 2) Evaluation, 3) Research Animal Management, 4) Promotion of Outreach Activity, 5) International Cooperation, 6) Promotion of Gender Equality, and 7) Industry-Academia Collaboration. 8) Graduate Education Support. Specially Appointed Professor, Project Associate and Assistant Professors are assigned to Research Surveillance and Analysis Unit, Evaluation Unit, Research Animal Management Unit, Promotion of Outreach Activity Unit and Industry-Academia Collaboration Unit. Each unit promotes its activity to facilitate own research and research collaboration to achieve NIPS mission.

The Program for Promoting the Enhancements of Research Universities funded by MEXT was over by the end of FY2022. From FY2023, NIPS covers the expenses to employ URA staffs by the internal budget. Although NIPS is in a difficult financial condition, NIPS plans to maintain employment of URA staffs which is indispensable for the promotion of the enhancement of research activities.

KITAJO, Keiichi
Professor
Computational Neuroscience
Cognitive Neuroscience

ISODA, Masaki
Professor
Neurophysiology

NISHIJIMA, Kazutoshi
Professor
Laboratory Animal Science
Reproductive Technology
Metabolism

YOSHIMURA, Yumiko
Professor
Neurophysiology

TAKEMURA, Hiromasa
Professor
Neuroimaging
Neuroscience
Vision Science

FURUSE, Mikio
Professor
Cell Biology

TSUTSUI, Ken-ichiro
Adjunct Professor
Systems Neuroscience
Physiological Psychology


URANO, Toru
Specially Appointed Professor
Laboratory Animal Science
Bacterial Infectious Disease

MARUYAMA, Megumi
Project Associate Professor
Neurophysiology
Environmental Physiology

NISHIO, Akiko
Project Assistant Professor
Neurophysiology
Cognitive Neuroscience

HONDA, Yukiko
Project Assistant Professor
Neurophysiology

UEHARA, Yuku
Project Assistant Professor
Neuroscience
Metabolism
Nutrition



Technical Division

Outline

The Technical Division is an organization of technical staffs to support research activities in National Institute for Physiological Sciences (NIPS). This organization is under the direction of the Director-General of NIPS. It is organized in a management system with Head, Assistant Head, Section Chief, Engineer, Unit Chief, Assistant Engineer, Assistant Unit Chief and Staff.

The division is composed of the technicians, who are covering a wide diversity of fields, such as electric circuitry, mechanical machine tooling, computing, gene engineering, biochemical analysis, cell culture, microscope, raising and reproduction of gene-implanted animals and so on.

The division is divided into two sections, one is for Departments and the other is for Research Centers. The personnel belonging to the Departments support mainly the researchers in the Departments. Those belonging to the Research Center or Laboratory are maintaining and controlling common research equipment for use in joint research projects by scientists of inside and outside of the institute.

In addition to these technical supports, the division is conducting common operations (maintenance and control of equipment, machinery and other installations, and management of research meeting and supply shops).

Beside the division conducts self-study activities by organizing technical research meeting and by publishing technical reports, in order to improve the technical abilities of individual members. A technical committee is organized to allow the institute to obtain new technologies vital to the research and to dissolve technically challenging subjects.

Every year, "Operation Report Meeting" is held to promote the mutual understandings of technical operations and to exchange general information in the division.

The Annual Meeting of Technical Research is held for the purpose of exchanging technological information among technicians working in all universities and research institutes in the country. In the meeting, discussions are made through oral presentations, panel exhibitions and lectures with technical practice.

These study activities and technical research meetings conducted at the division are summarized and published in "Annual Report of Technical Division" and in "Annual Report of Technical Research Meeting."






Head :
YOSHIMURA, Nobuaki



Unit Chief :
KUBOTA, Mitsuko
Center for Experimental
Animals Technical Unit



Staff :
WATAKABE, Yuki
Fundamental
Neuroscience Technical
Unit



Assistant Head :
HIROE, Takeshi
Research Centers
Technical Section



Unit Chief :
SATO, Shigeki
Research Infrastructure
Technical Unit




Staff :
SASSA, Shuta
Supportive Center for
Brain Research Technical
Unit I



Section Chief :
ISHIHARA, Hiromi
Departments Technical
Section



Assistant Engineer :
YOSHITOMO, Miki
Supportive Center for
Brain Research Technical
Unit I




Staff :
INAGAKI, Mariko
Center for
Communication Networks
Technical Unit



Unit Chief :
YAMAMOTO, Tomomi
Molecular & Cellular
Physiology Technical Unit



Assistant Engineer :
KAMIYA, Emi
Center for Experimental
Animals Technical Unit




Staff :
FUJITA, Shogo
Center for
Communication Networks
Technical Unit



Unit Chief :
FUKUTA, Naomi
Homeostatic Regulation
Technical Unit



Assistant Unit Chief :
KANO, Yuichiro
Homeostatic Regulation
Technical Unit



Unit Chief :
TAKAGI, Masahiro
Fundamental
Neuroscience Technical
Unit



Assistant Unit Chief :
HIRAYAMA, Yuya
System Neuroscience
Technical Unit



Unit Chief :
YOKOI, Isao
Center for Research
Collaboration Technical Unit



Assistant Unit Chief :
KAWAI, Yuko
Center for Research
Collaboration Technical Unit



Unit Chief :
TAKAHASHI, Naoki
Supportive Center for Brain
Research Technical Unit II



Assistant Unit Chief :
TAKAHASHI, Nobuaki
Center for Experimental
Animals Technical Unit



Unit Chief :
SANBO, Makoto
Center for Genetic
Analysis of Behavior
Technical Unit



Assistant Unit Chief :
YAMANAKA, Midori
Center for Experimental
Animals Technical Unit



Unit Chief :
MURATA, Yasuhisa
Center for
Communication Networks
Technical Unit



Assistant Unit Chief :
INAHASHI, Hiroki
Center for Experimental
Animals Technical Unit

Okazaki Institute for Integrative Bioscience ended in FY 2017.

A new research center “Exploratory Research Center on Life and Living Systems (ExCELLS)” was launched in FY 2018.

ExCELLS consists of 23 research groups, and the following 5 research groups also belong to the National Institute for Physiological Sciences.

- Cardiocirculatory Dynamism Research Group Division of Cardiocirculatory Signaling (See P. 14)
- Biophotonics Research Group Division of Biophotonics (See P. 19)
- Material-Life Boundary Research Group Division of Structural Biology (See P. 11)
- Cognitive Genomics Research Group
- Thermal Biology Group Section of Sensory Physiology, Center for Genetic Analysis of Behavior (See P. 42)

Center for Animal Resources and Collaborative Study

The Center for Animal Resources and Collaborative Study is one of the top-class experimental animal centers in Japan. The center was reorganized from the Center for Experimental Animals in FY2019 to further enhance collaborative study based on animal research as a common facility of the interuniversity institutes. In the terrestrial and aquatic animal sections, multiple species including mouse, rat, marmoset, Japanese macaque, fish, and amphibians are maintained and supplied for experimentation.

To enhance and support collaborative animal researches involving domestic and foreign researchers, the principal responsibilities of the center include (1) the appropriate breeding of rodents and other experimental animals, (2) embryo cryopreservation and transfer for genetically modified mouse lines, (3) development and refinement of diagnostic testing methods, microbial containment, and disease prevention strategies, (4) provision of information related to the techniques of animal experimentation as well as promotion of education and awareness with regard to ethical considerations and regulations related to the study of experimental animals. The new building in "Myodaiji" area, which is equipped with the state-of-the-art system including individually ventilated cages rack and experimental rooms for collaboration studies, was completed in September, 2020. We are capable of supplying high quality animal care and resources to researchers to reach the best research achievements in the world.

Division of Coordinator for Animal Experimentation

The Division was established in 2008 to support the Institutional Animal Care and Use Committee (IACUC) covered with 3 Institutes in Okazaki (Current with National Institutes of Natural Sciences). The important role of animal-based research in the life science, especially physiological science field has been extensively increasing in the world.

On the other hand, it is needed to enhance the social transparency, ethics and animal welfare in the animal experiments based on several rules including 'Law for the humane treatment and management of animals', 'Standard relating to the Care and Management of laboratory animals and relief of pain', 'Fundamental guideline for proper conduct of animal experiment and related activities in academic research institutions under the jurisdiction of MECSSST' and domestic Standard.

Accordingly, this Division is responsible for the following activities.

1. Education and training of the researchers
2. Review of the animal experiment plans
3. Self-evaluation and self-assessment of animal experiments
4. Information disclosure regarding animal-based research

We are also doing enlightenment activities in our own homepage.

NISHIJIMA, Kazutoshi

Professor (Director)
Laboratory Animal Science
Reproductive Technology
Metabolism

KOBAYASHI, Toshihiro

Professor
Stem Cell Biology
Embryology

URANO, Toru

Specially Appointed Professor
Laboratory Animal Science
Bacterial Infectious Disease

NISHIJIMA, Kazutoshi

Professor
Laboratory Animal Science
Reproductive Technology
Metabolism

Core for Spin Life Sciences, Okazaki Collaborative Platform

ISA, Tadashi
Director General
Neurophysiology

SADATO, Norihiro
Project Professor
Functional Neuroimaging
Neuroscience

TAKEMURA, Hiromasa
Professor
Neuroimaging
Neuroscience
Vision Science

FUKUNAGA, Masaki
Project Professor
Magnetic Resonance
Neuroimaging
Neuroscience

TAKADO, Yuhei
Project Professor
Pathophysiological
Neuroscience
Brain Energy Metabolism
Imaging

MARUYAMA, Megumi
Project Associate Professor
Neurophysiology
Environmental Physiology

GODA, Naokazu
Assistant Professor
Neuroscience
Neuroimaging
Psychophysics

LUO, Junxiang
Assistant Professor
Neuroimaging
Neuroscience
Vision Science


OISHI, Hiroki
Assistant Professor
Neuroimaging
Neuroscience

UEHARA, Yuko
Project Assistant Professor
Neuroscience
Metabolism
Nutrition

UEMATSU, Akiko
Project Assistant Professor
(Grant Project)
Neuroscience
Psychology

HARADA, Tokiko
Project Assistant Professor
(Grant Project)
Cognitive Neuroscience
Neuroimaging

Establishment of a new interdisciplinary MR research hub integrating molecular science, life science, and physiology.



The Core for Spin Life Sciences, established in July 2024 through the collaboration of NIPS, IMS, and ExCELLS, has entered its second year. The Core has successfully established an integrated research framework, ranging from the development of novel MR probes to advanced MR imaging of model animals.


This year, the two visiting professor's section transitioned into full-scale research operations. Furthermore, a third visiting professor's section was launched with Dr. Yuhei Takado as a visiting professor. This expansion has realized a high-level fusion of diverse specializations, significantly strengthening interdisciplinary collaborative research across Japan.

In partnership with four national "Nodes" (Kyoto Univ., Osaka Univ., Niigata Univ., and QST), the Core continues to drive its three primary missions: strengthening the education and training of researchers and engineers, promoting novel integrated research, and Encouraging the engagement of researchers. Key initiatives included active support for "early-career researchers and engineers from the participating institutions" and the successful "2nd Spin-L early-career researchers retreat" at Kyoto University, fostering a vibrant cross-institutional community.

Through technical workshops and symposia at major conferences, such as the Japan Neuroscience Society, the Core is effectively disseminating "Spin Life Sciences" insights grounded in cutting-edge MR technology to the global scientific community.

NIPS Research Fellow

The NIPS Research Fellows are young researchers with advanced research capabilities through operational expense subsidies for a certain period in order to have them be engaged in specific joint research projects, and to develop and promote research activities.




SAKUERA, Jun
Division of Cell Structure
Developmental Biology
Cell Biology



YAMAGA, Katsuma
Division of Mammalian
Embryogenesis
Reproductive technology



TAKAMIYA, Shogo
Division of Visual Information
Processing
Neuroscience



HAGIHARA, Makoto
Division of Neural Dynamics
Cognitive Neuroscience




Large facilities and equipments for cooperative studies

Outline

As a mission to be the inter-university research institute, NIPS conducts joint studies with researchers from domestic or foreign universities and other research institutes. NIPS provides specialized equipment, large-scale equipment, and research facilities, and develops new equipment for morphological and functional 4D imaging of various organs such as the brain.

► Magnetic Resonance Imaging System (MRI: 3 tesla, 7 tesla, 11.7 tesla)

MRI is an imaging technique that utilizes the nuclear magnetic resonance of hydrogen and other atoms. MRI enables not only detailed structural imaging of the brain but also the localization of brain function by measuring regional cerebral blood flow (functional MRI). The NIPS installed an ultra-high field (7T) MRI system (Siemens Magnetom 7T) in 2014. In fiscal year 2023, we also installed a 3T MRI system with strong gradient (Siemens Magnetom Cima.X). Furthermore, the NIPS installed an 11.7T Bruker preclinical MRI system in fiscal year 2025.



► Electron Cryomicroscopy

Electron cryomicroscope is an electron microscope developed for observing close-to-life state biological samples with a combination of rapid freezing and ice embedding sample preparation methods. Biological specimens up to 200 nm thicknesses can be observed with high-resolution and high-contrast. Ultrastructure analyses of protein molecules, viruses, bacteria, cultured cells, and frozen tissue sections are performed with this novel microscopic system.




► Serial Block-Face Scanning Electron Microscope (SBF-SEM)

Serial block-face scanning electron microscope (SBF-SEM) is an advanced 3-D nano-imaging equipment. Two different types of SBF-SEM are available; high-resolution and wide-area types. Resin-embedded biological specimens are sliced by a diamond knife equipped inside the chamber, and the block-face images are acquired by scanning electron microscopy (SEM). 3-D structures of the specimens are finally reconstructed from the acquired serial block-face images. 3-D structures of large biological specimens like brain tissue can be visualized at the resolution of several nanometers.



► Multiphoton excitation microscopy



Multi-photon excitation is a method to visualize living tissue by exciting the fluorescence molecules with the tightly focused near-infrared femtosecond pulse laser. Since the longer wavelength is used for multi-photon excitation, it has a superior deeper tissue penetration and reduced phototoxicity compared with single-photon excitation. Our 2-photon microscopes have the top-level specification for deep tissue imaging and can be applied to the imaging of neurons and glial cells in deep tissues such as the mouse brain. Recently, we also developed a 2-photon fluorescence imaging microscope that can be applied to image protein-protein interaction and the protein activity.

► Analytical equipment for in vivo neuronal, metabolic, and physiological parameters in mice

We analyze the following physiological parameters in mice:

(A) Evaluation of behaviors related to emotions, learning, and memories, and analyses of neural and muscular activities, (B) Non-invasive 4D cardiac function and capillary blood flow ultrasound imaging in mice, (C) Functional analysis of neuroimmune interactions in mouse models of diseases, (D) Multicellular activity measurement and manipulation in vivo, (E) Physiological measurements and analysis in vivo.

[Major apparatuses] Brain wave-measuring apparatus, Electromyograph, Telemetry automatic measurement system for chronic experiments, 4D ultrasound imaging device VEVO3100, Isolated heart perfusion system, Open field test analyzer, Light/dark transition test device, Barnes circular maze test device, Elevated plus-maze test analyzer, Forced swimming test analyzer, Rota-rod test analyzer, Passive avoidance test analyzer, Fear conditioning test analyzer, Morris water maze pool, IntelliCage: group-housed automated high-throughput behavioral and cognitive screening system, Nikon A1MP+ holographic microscope, The head-mounted miniature microscope, X-ray irradiation device, silicon CMOS digital neural probe.



Facilities Shared by the Two Institutes

Outline

National Institute for Physiological Sciences and National Institute for Basic Biology are sharing facilities which are innovative for conducting biological researches, but rather expensive to be supported only by one institution.

► Section of Electron Microscopy

See P. 35

► Instrument Design Room

Custom-designed equipments, which are not commercially available, can be constructed in this room. The machine shop is equipped with various types of machines such as milling machines and drill presses. A small laser cutting machine also work, and laboratory equipment can be manufactured. The electronic shop is equipped with various types of test instruments used for construction and measurement calibration of electronic devices.


Machine shop equipments (Instrument Design Room)



► Trans-Omics Facility

The Trans-Omics Facility is a division of NIBB Trans-Scale Biology Center and organized jointly by NIBB and NIPS for promoting DNA and protein studies. The facility maintains a wide array of core research equipments, from standard machinery like ultracentrifuges to cutting edge tools such as next generation DNA sequencers, which amount to 70 different kinds of instruments. Our current focus is supporting functional genomics works that utilize mass spectrometers and DNA sequencers.


A next generation DNA sequencer (Trans-Omics Facility)



► Optics and Imaging Facility

The Optics and Imaging Facility manages the optical equipment, such as optical microscopes, including confocal laser microscopes and two-photon microscopes, and the Okazaki Large Spectrograph. We also hold technical seminars and training sessions about microscopes and bioimaging to provide useful information to our users.

Okazaki Large Spectrograph (Optics and Imaging Facility)



Joint Researches

Outline

The National Institute for Physiological Sciences (NIPS), an inter-university research institute, carries out general collaborative research, planned collaborative research that focuses on the most critical theme, and cooperative research using large facilities.

Many collaborative studies are conducted each year and have produced promising results. In 2026, the institute plans to carry out 137 general and planned collaborative projects and 27 cooperative studies by functional imaging.

Another of the principal pillars of cooperative studies at NIPS is the NIPS research meeting. Unlike normal academic meetings, here, most of these meetings include oral presentations, giving plenty of time for Q&A. The small number of participants also allows detailed discussions to take place. Nineteen meetings are planned for this year. The number of NIPS research meetings greatly outnumbers those hosted by the other two research institutes in Okazaki, and in fact, they have become a highly important base organization. In the past, the meetings have helped establish new scientific research-funded study groups, and have even established activities such as academic conferences. The NIPS International Workshop has been running since 2008. Research meetings that invite overseas researchers, who present their work in English, have shown positive potential for the future of science. In 2026, the International Workshop is not scheduled.

1. General collaborative project

The general collaborative projects and planned collaborative projects involve studies carried out by researchers from outside universities or research institutes, and professors or associate professors from within NIPS. In 2026, 40 projects have been selected as part of a move to raise the number of cooperative studies.

Physiological and neuroscientific analysis of genetically modified model animals”, a joint research project planned by the National Institute for Physiological Sciences).

(2) Analysis of metabolic physiology for mice and rats.

Planned collaborative projects (Animal Resource Center)

2. Planned collaborative project

Planned collaborative project themes are selected by NIPS based on requests from researchers. These themes cover the most current and highly discussed scientific topics, in areas where NIPS is considered to be a frontrunner in Japan.

Regarding the proposed agenda, extensive discussions have been carried out at faculty meetings and work meetings. The agreed requirements are as follows.

- 1) Proposals should clearly state the aim and experimental design of the research project and should be completed within five years. However, depending on the state of the research, an extension period may be granted after the initial five years.
- 2) Proposals should specifically state the research area of interest. Broad themes will not be accepted.
- 3) There will be a limit to the number of proposals accepted. Each general collaborative research area category and research facility will accept five projects each at most, in principle.

The details of the planned collaborative research are as follows.

In accordance with the renovation and reorganization of the Animal Resource Center, starting in FY2022, the following items have been transferred to the Center's planned joint research projects.

- (1) Production of advanced animal models (until FY2021, this project has been conducted as “1)

“Production of animal models”

Since genetically modified model animals are extremely effective for gene function analysis at the individual level, they are widely used in the field of life sciences. The recent engineering required to create such model animals has taken huge leaps forward; e.g., a new genome-editing tool (CRISPR/Cas9 system) can relatively easily cut arbitrary sequences on the genome. Section of Mammalian Transgenesis at the Center for Genetic Analysis of Behavior in Animal Resource Center has established the latest technology such as the CRISPR/Cas9 system capable of providing an endogenous genetic modification to mice and rats. Our staff familiar with not only physiology and brain science but also reproductive biotechnology, have greatly contributed to researchers all across the country by providing technology to create genetically modified model animals. We can support cooperative studies by providing the technologies to develop adoptive models such as transgenic or knock-out mice and rats. We will continue to work on the requested creation of genetically modified model animals by applying the new genome-editing tools. Fourteen projects are now scheduled for 2026.

“Analysis of metabolic physiology for mice and rats”

The Section of Multilayer Physiology of the Center for Genetic Analysis of Behavior provides analysis methods for the following topics using genetically modified animals generated by researchers both within and outside NIPS.

- (A) Evaluation of behaviors related to emotions, learning, and memories, and analyses of neural and muscular activities
 - (B) Non-invasive 4D cardiac function and capillary blood flow ultrasound imaging in mice
 - (C) Functional analysis of neuroimmune interactions in mouse models of diseases
 - (D) Multicellular activity measurement and manipulation in vivo
 - (E) Physiological measurements and analysis in vivo
- Twenty-one projects are now scheduled in 2026.

“Behavioral and neural activity analysis of macaque monkeys”

Using macaque monkeys as model animals, we will mainly evaluate social behavior and measure and analyze social-related neural activity. Two projects are now scheduled in 2026.

Planned collaborative projects (National Institute for Physiological Sciences)

“Ultrastructure analysis of biological specimens by cutting-edge electron microscopy”

One cryo-electron microscope (cryo-TEM) and two serial block-face scanning electron microscopes (SBF-SEMs) are mainly used for this joint research program. Cryo-TEM shows the best performance when combined with a rapid-freezing sample preparation method. Under this condition, it is possible to study three-dimensional structures of unstained biological specimens, including isolated proteins, viruses, bacteria, cultured cells, and tissues, to more or less their true state with higher resolution. On the other hand, SBF-SEMs are used for the studies of ultrastructural analysis of thick biological specimens, like brain tissue. The specimens embedded in the plastic resin are sliced by a diamond knife and imaged by SEM continuously. Finally, the three-dimensional ultrastructure of the specimens is rebuilt at dozens of nanometer resolutions. The program support studies by using these states of the art electron microscopes. Eighteen projects are now scheduled in 2026.

“Functional and morphological analyses of cells and tissues by multi-photon excitation microscopy”

A two-photon excitation fluorescence microscope is a less invasive method for studying the microscopic structure and functions of cells in deep tissues of biological organisms. Currently, our institute has three upright two-photon excitation microscopes, and these allow us to observe the structure in the depth of one millimeter with a spatial resolution of a micrometer. Since the maintenance of a two-photon microscope is complicated, NIPS is the only institute that can provide the opportunity for collaborative research with a high-quality experience. Furthermore, we recently build the two-photon fluorescence lifetime microscope system which enables us to observe the intermolecular

interactions and the activity of signaling protein in a living cell in the deep tissue. We are also working on single-molecule imaging using quantum dots in a combination of a fluorescence microscope. Using these “cutting-edge methods,” we have conducted collaborative research. Recent successes are particularly in vivo Ca^{2+} imaging, and long-term imaging of neurons in living mice. Three planned collaborative projects are scheduled in 2026.

“Development and supply of viral vectors and gene-transfer to primates”

Advances in technology to control molecular functions or change neural activity by inserting certain genes into primate brains using virus vectors can lead to major possibilities. Getting to do such research, however, requires a long list of equipment and facilities to enable researchers to develop do things such as develop vectors, or insert vectors. A planned collaborative research project “Transfection study with primates” was launched in 2012 so that researchers could share their resources, and work together to unravel mysteries about higher brain functions and pathological conditions. Viral vectors are useful, not only for primates but also for other animals. Thus, we are working on the application of the vectors to non-primate animals, such as rodents.

The Section of Viral Vector Development promotes collaboration with many laboratories by providing various serotypes of AAV vectors, conventional lentiviral vectors, and highly efficient retrograde gene transfer vectors. Moreover, we proceed with the collaboration to exploit the more advantageous viral vectors. Seventeen projects are now scheduled in 2026.

“Multidimensional fluorescence imaging analysis by multipoint scanning microscopy”

We conduct joint-use research based on our originally developed multipoint scanning confocal and two-photon microscopy method. In particular, quantitative visualization analysis of cellular physiological functions, including biological rhythms, will be performed by high-speed 3D, ultra-long term, multi-color, and super-resolution observation. Three projects are scheduled in 2026.

“Elucidation of the pathology of mental/neurological disease by analysis of neural activity dynamics”

To study the relationship between human and animal neural activity dynamics and the pathology of various mental and neurological diseases by combining unit recording, local field potentials (LFPs), electrocorticography (ECoG), scalp electroencephalography (scalp EEG), functional magnetic resonance imaging (fMRI), and magnetoencephalography (MEG) are utilized in a multi-layered manner. In particular, we analyze neural activity dynamics such as vibration, synchronization, and fluctuation. Seven projects are now scheduled in 2026.

“Visualization of white matter fiber bundles and brain microstructure by analyzing brain imaging data”

We conduct collaborative research to visualize microstructures in white matter fiber bundles, cortical gray matter regions, and neuronal nuclei by analyzing human or animal brain structural images acquired using MRI and other techniques. Six projects are now scheduled in 2026.

“Elucidation of neural circuit dynamics underlying cognitive behavior and decision-making through multi-modal measurements in virtual reality”

We aim to establish multi-modal measurements for assessing cognitive behavior and decision-making across animal species using virtual reality (VR) techniques, and to analyze the efficiency and functional performance of underlying neural circuit dynamics. Six projects are now scheduled in 2026.

3. NIPS research meeting

NIPS research meeting gathers leading researchers focused on specific themes, facilitating active discussions. These meetings contribute to the initiation of new collaborative research, the formation of researcher communities, and the discovery of cross-disciplinary research seeds. Some research meetings have even led to the establishment of Grants-in-Aid for Scientific Research (KAKENHI) research areas.

Due to the widespread adoption of online conferencing systems resulting from the COVID-19 pandemic, research meetings since 2023 have been conducted not only in person but also in hybrid formats combining online and in-person participation. Furthermore, by holding NIPS research meetings outside Okazaki, we aim to contribute to the universities and physiological research communities in the vicinity of the meeting venues. In 2026, 19 meetings are scheduled, with one of these planned to be held outside the NIPS.

4. NIPS International Workshop

To further internationalize and enhance the NIPS research meetings, we support the 'NIPS International Workshop,' which invites researchers from overseas. In 2026, the International Workshop is not scheduled.

5. Cooperative study by functional imaging

The NIPS supports the measurement of brain structure and function in humans and nonhuman primates using 3- and 7-tesla MRI equipment. For this purpose, the NIPS sets up two research categories: “non-destructive three-dimensional observation of living organisms” and “structure and energy state observation of organic activity, including brain activators.” By systematically establishing a series of methods ranging from experimental planning to image data collection and image statistical processing, the NIPS provides a high-quality research environment that goes beyond simply sharing equipment. In 2026, 27

studies are scheduled to be carried out.

International Exchanges


NIPS is an internationally recognized research institution, and active international exchanges are carried out. NIPS has positions for foreign visiting researchers, and world-class researchers have engaged in research collaboration using this framework. In addition to research collaboration, visiting professors contribute to the education and mentoring of young researchers. In FY2014, NIPS started the Section of International Collaborative Research Project, which is run for three years by an adjunct foreign professor as a Principal Investigator (P.I.). From FY2023, Dr. Andrew Moorhouse of the University of New South Wales Sydney (from Feb 2025, University of Sydney) (Australia) served as an adjunct foreign professor and ran a lab as P.I., focusing on brain function at the circuit level. From FY2026, two new foreign visiting professors will join NIPS. Also, many international students enter the Physiological Sciences Course of SOKENDAI as graduate students and actively engage in research.

One of the main international exchange activities at NIPS is the annual international symposium. An NIPS professor serves as an organizer, and leading researchers from Japan and overseas are invited. In FY2025, the 55th NIPS International Symposium entitled “The Forefront and Future Prospects of Ion Channel Research” was held on site (Organizer: Professor Yoshihiro Kubo) and the 56th NIPS International Symposium “Focus on Biophotonics and Neuroscience” (Organizer: Professor Tomomi Nemoto) was also held. In FY2026, an NIPS International Symposium entitled “Understanding Protein Structure Through Context: Cryo-Electron Microscopy and Integrated Techniques” is planned to be held, organized by Professor Kazuyoshi Murata.

NIPS has academic exchange agreements or memoranda of understanding for academic interaction (MOUs) with foreign institutions as follows, and is actively conducting joint academic activities including collaborative research. The institutions are Korea University College of Medicine, Yonsei University College of Medicine and College of Dentistry (Korea); Tübingen University, Werner Reichardt Center for Integrative Neuroscience (Germany); Chulalongkorn University (Thailand); University of New South Wales, Faculty of Medicine (Australia); NeuroSpin (France); and McGill University (Canada). In FY2024, a joint symposium with Yonsei University College of Medicine and College of Dentistry, and Korea University College of Medicine was held at Yonsei University. NIPS dispatched 25 researchers, including graduate students. We will continue to promote active international exchange activities in FY2026, including joint symposia with McGill University.

Besides these activities, many high-quality international research collaborations are conducted at the individual researchers' level, supported by NIPS and NINS budgets as well as externally acquired research grants.

Number of Foreign Researchers (2025)



NIPS International Symposium, FY2025

The 55th NIPS International Symposium and NIPS International Workshop “The forefront and future prospects of ion channel research”

From December 1 to 4, 2025, the NIPS International Symposium was held at the Okazaki Conference Center in conjunction with the NIPS International Workshop supported by the NIPS Joint Research Program budget. December 1 was designated as the NIPS International Workshop, and this distinction was clearly stated in the program booklet; in practice, however, the two meetings were held consecutively. The organizers of the International Symposium were Prof. Yuichiro Fujiwara (Hiroshima University), Prof. Yoshihiro Kubo (NIPS), Prof. Koichi Nakajo (Jichi Medical University), and Prof. Yasushi Okamura (Osaka University), with Kubo serving as Secretary General.

Under the theme “The forefront and future prospects of ion channel research,” cutting-edge research achievements on the structure, function, structure–function relationships, and regulatory mechanisms of ion channels were presented. Examples included comprehensive analyses of diverse subunit compositions and multiple conformational states of “native” ion channel proteins purified from the brain and other tissues using single-particle cryo-electron microscopy (cryo-EM); cryo-EM structural analyses of ion channels during biosynthesis, revealing supramolecular complexes of ion channels in the endoplasmic reticulum; visualization of intermolecular interactions among ion channel molecules by high-speed atomic force microscopy; the discovery that Ca^{2+} permeability of AMPA receptors is not determined solely by the previously recognized Q/R site, but instead varies continuously depending on subunit composition and association with auxiliary subunits; and the finding that GluD2, which functions as a synapse organizer through formation of the GluD2–Cerebellin–Neurexin complex, also operates as an ion channel at physiological (body) temperature.

A total of 25 speakers participated, comprising 12 from overseas and 13 from Japan. One overseas speaker was unavoidably forced to cancel shortly before the meeting due to international circumstances, and one speaker from abroad was selected instead from the pool of general abstract. In addition, 41 poster presentations were given, from which 12 were selected for short oral talks. Twelve general participants attended from overseas, and the total number of participants was 116.



The 56th NIPS International Symposium “Focus on Biophysics and Neuroscience”

The 56th NIPS International Symposium, titled "Focus on Biophotonics and Neuroscience," was held at the Okazaki Conference Center over three days from January 28 to 30, 2026. Organized by Professor Tomomi Nemoto and Associate Professor Ryosuke Enoki of the Division of Biophotonics, the symposium was conducted as an in-person event.

The fusion of biophotonics and neuroscience has achieved remarkable progress in recent years, driven by advancements in optical science—such as new laser technologies and optical materials—and the rise of advanced imaging techniques, most notably two-photon microscopy. This interdisciplinary evolution has enabled the measurement and manipulation of neural activity through optical technology, dramatically accelerating the elucidation of neural circuit functions. Recognizing that discussing the forefront of this field is essential not only for academic advancement but also for clinical applications directly linked to public welfare and health, this symposium brought together world-leading researchers to engage in discussions and introduce cutting-edge research and analytical techniques.

The symposium featured 17 invited speakers, including eight from overseas (two from the USA, two from Germany, two from Taiwan, one from Denmark, and one from South Korea) and nine from within Japan. In the keynote lecture by Dr. Valentin Nägerl, Professor at the University of Göttingen, Germany, he explained his achievements in elucidating the fine structure of brain tissue at the nanoscale using STED microscopy. He detailed how the complex structural organization of the brain's extracellular space (ECS) influences fundamental physiological processes such as synaptic transmission, utilizing an innovative "shadow imaging" technique that visualizes the ECS as a "shadow". On the other hand, the keynote lecture by Dr. Atsushi Miyawaki, Team Leader at RIKEN, compared the movement of biochemical molecules within cells to a school of whales wandering in the ocean, introducing his efforts to visualize such dynamic behavior using luminescent probes. Beyond technical details, he proposed his unique research philosophy: that maintaining imagination and a "playful and adventurous perspective" is essential for drawing in serendipitous findings.

Furthermore, through poster presentations and the reception, active exchange took place between the invited speakers and many researchers and graduate students from the National Institute for Physiological Sciences (NIPS). This symposium proved to be a significant platform for fostering future international research collaborations and professional growth.



The Graduate University for Advanced Studies (SOKENDAI)

In recent years, there has been an increasing emphasis on promoting innovative research and pioneering the exploration of new fields in academia, highlighting the urgent need for the cultivation of highly creative and advanced researchers to support these endeavors. Furthermore, with the internationalization of academic research and the development of interdisciplinary and multidisciplinary studies beyond traditional academic boundaries, researchers are required to possess a broad perspective and international outlook. Under close collaboration and cooperation with inter-university research institutes of outstanding research capabilities, the Graduate University for Advanced Studies (SOKENDAI) was established in October 1988 as a graduate university to conduct advanced and internationally accessible education and research. Since April 1989, it has admitted graduate students, with the aim to nurture creative researchers with a broad perspective capable of leading new trends in academic research.

National Institute for Physiological Sciences has constituted School of Life Science at SOKENDAI along


with National Institute for Basic Biology and National Institute of Genetics, and has been responsible for graduate education in Department of Physiological Sciences. As of April 2023, SOKENDAI has eliminated the boundaries of traditional research frameworks and transitioned into one graduate school, Graduate Institute for Advanced Studies, with 20 programs equivalent to the former departments.

The outline of Physiological Sciences Program

In this program, we are training researchers to study the functions of the body at various levels. Physiology plays a central role in integrating various fields of basic medicine while sharing a common basis with life sciences in general, and deeply relates to various fields of clinical medicine. Following the original principles of physiology, this program provides education and research guidance to investigate the functions of the body comprehensively, from the level of molecules, its constitutive elements, to the level of individuals as systems. Our aim is to cultivate a broad perspective spanning medicine and life sciences in general.


Number of graduate students enrolled by year

fiscal year	2020	2021	2022	2023	2024	2025
Number of enrolled students (international students)	37(11)	39(13)	37(11)	28(9)	24(9)	30(10)
Number of students admitted	14	8	5	4	8	10




Current State

Staffs



Budget

numbers are in million yen/As of May, 2025



The budget consists of grants from the government (Management Expenses Grants • SOKENDAI Research Grants) as well as many competitive funds (Grants-in-Aid for Scientific Research, Funds for Contract Research etc.) which are awarded by competitive selection process.

Common Facilities in Okazaki

► Okazaki Library and Information Center

Okazaki Library and Information center collects, organizes, and stores books, journals, and other materials related to basic biology, physiology, and molecular science, and makes them available to the staff of the three Okazaki institutes and Exploratory Research Center on Life and Living Systems, as well as to collaborating researchers.

<main function>

1. 24hours use by The IDENTIFICATION CARD
2. Information retrieval service
(Web of Science, SCOPUS, etc.)
3. Books Loan service
4. Interlibrary Loan • Photocopy Request



► Okazaki Conference Center

Okazaki Conference Center was founded on February, 1996 to promote international and domestic conference program of research and education.

Ohsumi Conference Hall (capacity of 208)

Conference Room B (capacity of 112)

Conference Room C (2 rooms, capacity of 50 each)



Ohsumi Conference Hall

► Accommodation

The lodging houses (Mishima Lodge and Myodaiji Lodge) are provided for guests, both foreign and domestic, for the common use of the three Institutes (NIPS, NIBB and IMS).



Myodaiji Lodge

The lodging capacities are as follows :

	Single Room	Twin Room	Family Room
Mishima Lodge	60	14	10
Myodaiji Lodge	14	—	3

► The Sakura Nursery School

The Sakura nursery school is the institutional child care facility established for supporting both research and child-rearing. The school accept a child from the 57th day of after the birth, and is supporting a researcher's smooth return to research activity.

Age: From the 57th day of after the birth to 3 years old at the end of the fiscal year

Capacity: 18 persons

Use candidate: The officers, researchers, visiting researchers, graduate students, temporary staff accepted through an agreement between the organization and the staffing agency employed at Three Okazaki Institutes (including ExCELLS)


Opening day: From Monday to Friday

Opening time: From 8:00 to 19:00 (maximum extension 20:00)

Childcare form: Regular childcare, temporary childcare





Okazaki Administration Center



Campus Map

According to area	Use classification
Myodaiji Area	National Institute for Physiological Sciences / National Institute for Basic Biology / Institute for Molecular Science / Okazaki Administration Office / Staff hall / Lodging for staff / Myodaiji Lodge
Mishima Area	Okazaki Conference Center / Mishima Lodge
Tatsumi Area	Lodging for staff
Yamate Area	Exploratory Research Center on Life and Living Systems, and others



Location

From Chubu Centrair International Airport

By train

Take the Meitetsu train, transfer at Jingumae station for Toyohashi-bound train and get off at Higashi Okazaki station (approximately 60 min). NIPS is a 7-minute walk up the hill on the south side of the station.

From Narita International Airport



A) By plane (*Recommended)

Transfer to Chubu Centrair Japan International Airport



B) By train

Take the JR Narita Express airport shuttle train from Narita to Tokyo Station (approximately 60 minutes) and change trains to the Tokaido shinkansen (bullet train).


At Toyohashi JR Station (approximately 80 minutes from Tokyo), change trains to the Meitetsu Line's Limited Express train bound for Gifu. Get off at Higashi Okazaki Station (approximately 20 minutes from Toyohashi). Turn left (south) at the ticket gate and exit the station. NIPS is a 7-minute walk up the hill.



Staff Index

B  BURTON-SMITH, Raymond 11 Project Assistant Professor *Div. of Structural Biology	H  HAGIHARA, kenta 12 Professor *Div. of Biological Mechanisms of Learning and Memory	 IZUMI, Yasushi 14 Associate Professor *Div. of Cell Structure
C  CHIKEN, Satomi 41 Assistant Professor *Sec. of Multilayer Physiology	 HARADA, Tokiko 36 51 Project Assistant Professor (Grant Project) *Sec. of Brain Function Information *Core for Spin Life Sciences, Okazaki Collaborative Platform	K  KANEKO, Takaaki 22 Assistant Professor *Div. of Behavioral Development
E  ENOKI, Ryosuke 20 Associate Professor *Div. of Biophotonics	 HASEBE, Rie 16 Project Associate Professor *Div. of Molecular Neuroimmunology	 KINOSHITA, Masaharu 30 Project Associate Professor (Grant Project) *Sec. of Advanced Project Promotion
F  FUJIHARA, Ryo 23 Project Assistant Professor (Grant Project) *Div. of Neural Dynamics	 HAYASHI, Takuya 36 Adjunct Professor *Sec. of Brain Function Information	 KITAJO, Keiichi 23 26 27 31 32 46 Professor *Div. of Neural Dynamics *Center for Research Collaboration *Sec. of Collaboration Promotion *Sec. of J-PEAKS and Regional Alliance Promotion *Sec. of International Collaborative Research Project *Research Enhancement Strategy Office
 FUKUNAGA, Masaki 36 51 Project Professor *Sec. of Brain Function Information *Core for Spin Life Sciences, Okazaki Collaborative Platform	 INUI, Koji 36 Adjunct Professor *Sec. of Brain Function Information	 KOBAYASHI, Kenta 39 Associate Professor *Sec. of Viral Vector Development
 FURUSE, Mikio 14 35 46 Professor *Div. of Cell Structure *Sec. of Electron Microscopy *Research Enhancement Strategy Office	 ISA, Tadashi 30 51 Director General *Sec. of Advanced Project Promotion *Core for Spin Life Sciences, Okazaki Collaborative Platform	 KOBAYASHI, Toshihiro 17 40 50 Professor *Div. of Mammalian Embryogenesis *Sec. of Mammalian Transgenesis *Center for Animal Resources and Collaborative Study
G  GO, Yasuhiro 22 Professor *Div. of Behavioral Development	 ISHII, Hirokazu 20 Assistant Professor *Div. of Biophotonics	 KOIKE, Takahiko 36 Associate Professor *Sec. of Brain Function Information
 GODA, Naokazu 36 51 Assistant Professor *Sec. of Brain Function Information *Core for Spin Life Sciences, Okazaki Collaborative Platform	 ISODA, Masaki 22 29 31 33 46 Professor *Div. of Behavioral Development *Sec. of NBR Project *Sec. of J-PEAKS and Regional Alliance Promotion *Supportive Center for Brain Research *Research Enhancement Strategy Office	 KOKETSU, Daisuke 31 Project Assistant Professor (Grant Project) *Sec. of J-PEAKS and Regional Alliance Promotion

L



LEE, Ming Liang
20
Project Assistant Professor
*Div. of Biophotonics



LUO, Junxiang
24 51
Assistant Professor
*Div. of Sensory and Cognitive
Brain Mapping
*Core for Spin Life Sciences,
Okazaki Collaborative Platform

M




MARUYAMA, Megumi
28 46 51
Project Associate Professor
*Sec. of Advanced Research
Support
*Research Enhancement
Strategy Office
*Core for Spin Life Sciences,
Okazaki Collaborative Platform



**MINATOHARA,
Keiichiro**
31
Project Assistant Professor
(Grant Project)
*Sec. of J-PEAKS and Regional
Alliance Promotion



MURAKAMI, Masaaki
16
Professor
*Div. of Molecular
Neuroimmunology



MURAKOSHI, Hideji
34
Associate Professor
*Sec. of Multiphoton Neuroimaging



MURATA, Kazuyoshi
11 35 45
Project Professor
*Div. of Structural Biology
*Sec. of Electron Microscopy
*Sec. of Health & Safety
Management

N




NARUSHIMA, Madoka
21
Associate Professor
*Div. of Multicellular Circuit
Dynamics



NEMOTO, Tomomi
20
Professor
*Div. of Biophotonics




NINOMIYA, Taihei
22
Senior Assistant Professor
*Div. of Behavioral
Development



NISHIDA, Motohiro
15
Professor
*Div. of Cardiocirculatory
Signaling




NISHIJIMA, Kazutoshi
38 41 46 50
Professor
*Center for Animal Resources
and Collaborative Study
*Center for Genetic Analysis of
Behavior
*Sec. of Multilayer Physiology
*Research Enhancement
Strategy Office
*Div. of Coordinator for Animal
Experimentation



NISHIMURA, Akiyuki
15
Project Associate Professor
*Div. of Cardiocirculatory
Signaling



NISHIMURA, Toshiya
17
Associate Professor
*Div. of Mammalian
Embryogenesis



NISHIO, Akiko
27 46
Project Assistant Professor
*Sec. of Collaboration
Promotion
*Research Enhancement
Strategy Office



NONOMURA, Satoshi
25
Assistant Professor
*Div. of Multisensory
Integration Systems

O



OHASHI, Masato
14
Assistant Professor
*Div. of Cell Structure




OHNO, Nobuhiko
18
Adjunct Professor
*Div. of Ultrastructural Research



OISHI, Hiroki
24 51
Assistant Professor
*Div. of Sensory and Cognitive
Brain Mapping
*Core for Spin Life Sciences,
Okazaki Collaborative Platform



OKAZAKI, Yuka
23
Assistant Professor
*Div. of Neural Dynamics



ONODERA, Koun
19
Assistant Professor
*Div. of Visual Information
Processing




OTOMO, Kohei
20
Associate Professor
*Div. of Biophotonics



OTSUKA, Takeshi
37
Assistant Professor
*Sec. of Cellular
Electrophysiology


S



SADATO, Norihiro
28 51
Project Professor
*Sec. of Advanced Research
Support
*Core for Spin Life Sciences,
Okazaki Collaborative Platform



SASAKI, Ryo
25
Professor
*Div. of Multisensory
Integration Systems



SATAKE, Shin'Ichiro
37
Assistant Professor
*Sec. of Cellular
Electrophysiology



SATO, Shoma
42
Project Assistant Professor
(Grant Project)
*Sec. of Sensory Physiology



SAWAMOTO, Kazunobu
13
Adjunct Professor
*Div. of Neural Development & Regeneration



SHIMOMURA, Takushi
10
Senior Assistant Professor
*Div. of Biophysics & Neurobiology




SOKABE, Takaaki
42
Associate Professor
*Sec. of Sensory Physiology



TSUTSUI, Ken-ichiro
32 46
Adjunct Professor
*Sec. of International Collaborative Research Project
*Research Enhancement Strategy Office



UEHARA, Yuko
46 51
Project Assistant Professor
*Research Enhancement Strategy Office
*Core for Spin Life Sciences, Okazaki Collaborative Platform



UEMATSU, Akiko
36 51
Project Assistant Professor
(Grant Project)
*Sec. of Brain Function Information
*Core for Spin Life Sciences, Okazaki Collaborative Platform



URANO, Toru
46 50
Specially Appointed Professor
*Research Enhancement Strategy Office
*Center for Animal Resources and Collaborative Study



WAKE, Hiroaki
21 31 32
Professor
*Div. of Multicellular Circuit Dynamics
*Sec. of J-PEAKS and Regional Alliance Promotion
*Sec. of International Collaborative Research Project




YAMAGUCHI, Kazushi
20
Project Assistant Professor
*Div. of Biophotonics



YAMAGUCHI, Hirohi
21
Assistant Professor
*Div. of Multicellular Circuit Dynamics



YAMAJI, Kazutsuna
36
Adjunct Professor
*Sec. of Brain Function Information



YAMAMOTO, Tetsuya
36
Associate Professor
*Sec. of Brain Function Information



YAMASAKI, Takeshi
16
Assistant Professor
*Div. of Molecular Neuroimmunology



YONEDA, Taisuke
19
Assistant Professor
*Div. of Visual Information Processing



YOSHIMURA, Yumiko
19 37 46
Professor
*Div. of Visual Information Processing
*Sec. of Cellular Electrophysiology
*Research Enhancement Strategy Office



YUASA, Kenichi
23
Assistant Professor
*Div. of Neural Dynamics



ZAKERI, Sahar
23
Project Assistant Professor
(Grant Project)
*Div. of Neural Dynamics



TAKADO, Yuhei
36 51
Project Professor
*Sec. of Brain Function Information
*Core for Spin Life Sciences, Okazaki Collaborative Platform



TAKEMURA, Hiromasa
24 32 43 46 51
Professor
*Div. of Sensory and Cognitive Brain Mapping
*Sec. of International Collaborative Research Project
*Center for Communication Networks
*Research Enhancement Strategy Office
*Core for Spin Life Sciences, Okazaki Collaborative Platform



TATEYAMA, Michihiro
10
Associate Professor
*Div. of Biophysics & Neurobiology



TSUCHIMOTO, Shohei
23
Project Assistant Professor
(Grant Project)
*Div. of Neural Dynamics



National Institute for Physiological Sciences 2026

Published July 2026

National Institutes of Natural Sciences

National Institute for Physiological Sciences

Editor: TAKEMURA, Hiromasa

Myodaiji, Okazaki 444-8585, Japan

Phone: +81-564-55-7700 Fax: +81-564-52-7913

<https://www.nips.ac.jp>



National Institutes of Natural Sciences

National Institute for Physiological Sciences

Myodaiji, Okazaki 444-8585, Japan

Phone: +81-564-55-7700 Fax: +81-564-52-7913

<https://www.nips.ac.jp>